

Inquiry

Date: 2024.07.02

Inquiry No: APS 0724321 IQ

Item	Description	QTY.	Unit	Manufacturer
1	SERVICE SET MPR-SERVICE-KIT T0180.00 TYPE: T6193.00 USE FOR REGULATOR TYPE: T0180.00A.AL.L	10	No	
2	OPTO 22 G4IDC5 DIGITAL INPUT MODULE, DCINPUT 10-32VDC, 5 VDC LOGIC	1	No	OPTO 22
3	G4 DIGITAL 24-CHANNEL I/O MODULE RACK. FOR EASIER WIRING TYPE: G4PB24	3	No	OPTO 22
4	PIN WITH INTEGRATED NUTS CODE R001D021.03	170	No	
5	SMALL SPRING R001D026.06- GREEN PROJECT, S.P. FOR MARKING MACHINES	200	No	
6	SPRAYER CLOSING CAP R001D021.09, GREEN PROJECT, S.P. FOR MARKING MACHINES	290	No	
7	CYLINDER SCREW M5*8 DIN: 7984 CODE: 711300030070	120	No	
8	ABSORPTION DRYER ULTRA PAC 2000-5 STANDARD 1C580008, DONALDSON FOR MARKING MACHINES	10	No	

9	SPRAY GUN BODY- R001D021.04/ GREEN PROJECT, S. P. FOR MARKING MACHINES	200	No	
10	FIBER OPTIC CABLE- 5000 MM MULTI FIBER BREAK OUT WITH DI ELECTRIC CENTERAL MEMBER, TWO CORE, PLASTIC FIBER 980/1000, SHEATH PVC WITH CONNECTOR TYPE: HFBR-4533 AND CONNECTOR TYPE: HFBR-4531	20	No	
11	FIBER OPTIC CABLE- 3000 MM MULTI FIBER BREAK OUT WITH DI ELECTRIC CENTERAL MEMBER, TWO CORE, PLASTIC FIBER 980/1000, SHEATH PVC WITH CONNECTOR TYPE: HFBR-4533 AND CONNECTOR TYPE: HFBR-4531	20	No	
12	FIBER OPTIC CABLE- 15000 MM MULTI FIBER BREAK OUT WITH DI ELECTRIC CENTERAL MEMBER, TWO CORE, PLASTIC FIBER 980/1000, SHEATH PVC WITH CONNECTOR TYPE: HFBR-4533 AND CONNECTOR TYPE: HFBR-4531	10	No	
13	CABLE & CONNECTOR STRAIGHT M12 FEMM. 3 POLES WITH 15 MT. OF CABLE TEMP, =90 °C ART. R1219	10	No	
14	FILTER CATRIDGE (FOR COLD MARKING MACHINE), OD: 34 MM, LENGTH: 76 MM, T500.00	50	No	
15	AIR CYLINDER, TYPE: C95SDT100-400	3	No	SMC
16	DIAPHRAGM PUMP ZIP 52-ALUMINIUM	3	Device	

	U. 550ATSS7, WAGNER, FOR MARKING MACHINES			
17	BACK PRESSURE VALVE 205-122-"C" SERIES-300PSI-0-180 PSI, GRACO, FOR MARKING MACHINES	10	No	
18	REGULATOR PRESSURE 1/4" TYPE: AR30-F02	10	No	SMC
19	SOLENOID COIL TYPE: 481865C2 D5B F	10	No	PARKER
20	SOLENOID VALVE TYPE: CPV14-M1H-5JS-178 161361	5	No	FESTO
21	CUTTING PLATE TYPE: VS32L DM: 32 MM STRAP CODE: 1300031751	20	No	
22	SAFETY DISC TYPE: VS32L DM: 15 DIN: 6799 CODE: 130003-30	27	No	
23	DOWEL PIN EN ISO 8734 FORM A SIZE 5M6*32-A-HV 550-630 ROUCHNESS RA=0.8 FOR BANDELLING MACHINE CODE VS32L: 13003-16	20	No	
24	COMPACT FAN WITH FILTER, 115V, 50 HZ, AIR FLOW RATE: 57/61 M3/H, DIMESION: 150*150*67 MM TYPE: FAN12CN0A, FILTER TYPE: TX-FIL12XN0A	30	Device	TEXA
25	COMPACT FAN WITH FILTER, 115V, 50 HZ, AIR FLOW RATE: 115/125 M3/H, DIMESION: 250*250*102 MM TYPE: FAN25CN0A, FILTER TYPE: TX-FIL25XN0A	20	Device	TEXA
26	COMPACT FAN WITH FILTER, 230V, 50 HZ,	30	Device	TEXA

	AIR FLOW RATE: 57/61 M3/H, DIMENSION: 150*150*67 MM TYPE: FAN12BN0A, FILTER TYPE: TX-FIL12XN0A			
27	" QUICK-ACTING COUPLING LP-012	5	No	
28	SEAL RING SIZE: ET 3543 TYPE: VS32L CODE: 130003-351	5	No	
29	NEEDLE ANGULAR BALL BEARING SIZE: NKIB59/22 TYPE: VS32L CODE: 130003-384	2	No	
30	COMPLETE 2 WAYS SOLENOID VALVE FOR GAS 24V D.C. 1/2" – CODE 38 EL200-ALBA- FOR CUTTING MACHINE	2	No	
31	PNEUMATICAL STRAPPING HEAD FOR STEEL BAND COMPLETE UNIT TYPE: VS32L KOD: 0003	1	No	

➤ **PLEASE DETERMINE BELOW SPECS:**

- Delivery Time:
- Delivery Terms (DDP Dubai):
- Shipping Cost:
- Country of Origin & Brand:
- Payment term:
- Offer Validity:
- Dimension of the Goods (Weight & CBM):
- Guarantee Terms (if Available):

➤ **REQUIRED DOCUMENTATION & PRICE:**

- Certificate of Origin (COO):
- Certificate of Conformity (COC):
- Calibration Certificate:
- Mill Test Certificate:
- Datasheet, Catalog & DWG No:
- Another One (if available):

Thank you and Best Regards