

Si No.	Part No.	Part Description	Description	Qty/ Machine	Reference
1	505995	Dowel : Ø3X24MM (m6 tolerances)	Material: Steel HRC 60 Finish: Blank Type: Dowel Standard : ISO 8734 ~UNI 6364 A ~ČSN 022152	6	https://www.fasteners.eu/standards/ISO/8734/
2	501084	Bolt : M12 x 80 Hexagon head bolts with shank.	Material: Steel 8.8 Finish: Blank Type: Hexagon head bolts with shank. Standard : ISO 4014 ~UNI 5737 ~ČSN 021101	3	https://www.fasteners.eu/standards/ISO/4014/
3	457267	Washer : Spherical washers Ø21	Material: Stainless steel Finish: Blank Type: Spherical seat washer Standard : DIN 6319-21-C	3	https://www.fasteners.eu/standards/DIN/6319
4	411154	O-ring : Shore hardness 30 , ID: 40mm, Cross section- 3mm	Material: NBR 70.5/P5F Finish: NA Type: Rubber	2	
5	500338	M5 X 16 _Hexagon socket Head Cap Screws	McMaster PN 91502A146 Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
6	500342	M8 X 25 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
7	500384	M12 X 45 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
8	500437	Ø32 x1.3mm_ Internal Retaining Ring	McMaster PN 98455A129 Material: 1060-1090 Spring Steel Finish: Black-Phosphate Type: Internal Retaining Ring Standard : DIN 471 ~UNI 7435 ~ČSN 022930	4	https://www.fasteners.eu/standards/DIN/472/
9	500475	M8 X 14 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
10	500477	M8 X 60 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
11	500482	M10 X 40 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/

12	500517	M5 X 12 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	6	https://www.fasteners.eu/standards/ISO/4762/
13	500537	M10 X 35 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	5	https://www.fasteners.eu/standards/ISO/4762/
14	500545	M5_Hexagon self clinching nut , case hardened	Bossard AG PN : BN201.1001698 Material: Steel Finish: Zinc-Plated blue Type: Hexagon self clinching nut , case hardened Standard : ISO 10642 UNI 5933	8	
15	500546	M10 X 45 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	10	https://www.fasteners.eu/standards/ISO/4762/
16	500603	M5 X 8 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
17	500623	M10 X 50 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	8	https://www.fasteners.eu/standards/ISO/4762/
18	500631	M6 X 75 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	6	https://www.fasteners.eu/standards/ISO/4762/
19	500665	Dowel : Ø12 X 45 (h6 tolerances)	McMaster PN Material: Steel HRC 60 Finish: Blank Type: Dowel Standard : ISO 8734 ~UNI 6364 A ~ČSN 022152	10	https://www.fasteners.eu/standards/ISO/8734/
20	500688	M10 X 20 _Hexagon socket Head Cap Screws	McMaster PN Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	38	https://www.fasteners.eu/standards/ISO/4762/
21	500692	M12 X 50 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
22	500713	Dowel : Ø5 X 20 (h8 tolerances)	Material: Stainless Steel A1 Finish: NA Type: Dowel Standard : ISO 2338 ~DIN 7 ~VSM 12771 B ~UNI 1707 ~ČSN 022150	4	https://www.fasteners.eu/standards/ISO/2338/

23	500743	M8 _Hexagon Nuts	McMaster PN 4379N111 Material: Steel 8 Finish: NA Type: Fine-Thread High-Strength Steel Hex Nut Standard : ISO 4032 ~UNI 5588 ~CSN 021401~ DIN 934	1	https://www.fasteners.eu/standards/ISO/4032
24	500791	Ø12X1mm _ External Retaining Ring	McMaster PN 98541A119 Material: 1060-1090 Spring Steel Finish: Black-Phosphate Type: External Retaining Ring Standard : DIN 471 ~UNI 7435 ~ČSN 022930	6	https://www.fasteners.eu/standards/DIN/471
25	500866	M8 X 35 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	1	https://www.fasteners.eu/standards/ISO/4762/
26	500958	Dowel : Ø12 X 40 (h6 tolerances)	Material: Steel HRC 60 Finish: Blank Type: Dowel Standard : ISO 8734 ~UNI 6364 A ~ČSN 022152	2	https://www.fasteners.eu/standards/ISO/8734/
27	500991	Ø12X1mm _ External Retaining Ring	McMaster PN 98541A119 Material: 1060-1090 Spring Steel Finish: Black-Phosphate Type: External Retaining Ring Standard : DIN 471 ~UNI 7435 ~ČSN 022930	4	https://www.fasteners.eu/standards/DIN/471
28	501001	M5 X 14 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	7	https://www.fasteners.eu/standards/ISO/4762/
29	501005	M8 - Flat Washer	Material: Steel Finish: NA Type: Flat Washer Standard : DIN125 / ISO 7089 / BN715	1	https://www.fasteners.eu/standards/DIN/125-A/
30	501233	Dowel : Ø8 X 25 (h8 tolerances)	(25MM LENGTH NOT AVAILABE) Material: Stainless Steel A1 Finish: NA Type: Dowel Standard : ISO 2338 ~DIN 7 ~VSM 12771 B ~UNI 1707 ~ČSN 022150	2	https://www.fasteners.eu/standards/ISO/2338
31	501572	M8 - Flat Washer (thickness - 3.7~4.3)	McMaster PN 94630A213 Material: Steel Finish: NA Type: Flat Washer Standard : DIN 7349 / BN733	8	https://www.fasteners.eu/standards/DIN/7349
32	505334	M5 X 16 _Hexagon socket countersunk head cap screws	McMaster PN 91263A834 Material: Zinc-Plated Alloy Steel / Steel 10.9 Finish: Zinc-Plated Type: Hexagon socket countersunk head cap screws Standard : ISO 10642 UNI 5933	8	https://www.fasteners.eu/standards/ISO/10642/

33	505335	M5 X 20 _Hexagon socket countersunk head cap screws	McMaster PN 91263A835 Material: Zinc-Plated Alloy Steel / Steel 10.9 Finish: Zinc-Plated Type: Hexagon socket countersunk head cap screws Standard : ISO 10642 UNI 5933	4	https://www.fasteners.eu/standards/ISO/10642/
34	505426	M12 - Flat Washer	Material: Steel Finish: NA Type: Flat Washer Standard : DIN125 / ISO 7089 / BN715	4	https://www.fasteners.eu/standards/DIN/125-A/
35	516881	M6 x 14 _ Hexagonal Head Screw	Material: Steel 8.8 Finish: blue galvanized Type: Hexagonal Head Screw Standard : Not given	8	
36	523444	Dowel : Ø12 X 60 (h6 tolerances)	McMaster PN 91595A757 Material: Steel HRC 60 Finish: Blank Type: Dowel Standard : ISO 8734 ~UNI 6364 A ~ČSN 022152	2	https://www.fasteners.eu/standards/ISO/8734/
37	530736	Threaded pin with conical round end	Material: Steel 45H Finish: NA Type: Hexagon socket set screws with flat point Standard : DIN913 / ISO4026	2	https://www.fasteners.eu/standards/DIN/913/
38	530789	M5 X 16 _Torus Head lens Screw with Collar	Material: Inox A2 stainless steel Finish: NA Type: Lens screw with collar Standard :	3	not available in fasteners EU
39	500745	M4 _Hexagon self clinching nut , case hardened	Bossard AG PN : BN201.1001345 Material: Steel Finish: Zinc-Plated blue Type: Hexagon self clinching nut , case hardened Standard : ISO 10642 UNI 5933	2	
40	1030414	M5 x 16_Stainless Steel Hex Head Screw with flange	McMaster PN 94302A123 Material: Inox A2 stainless steel Finish: NA Type: Stainless Steel Hex Head Screw with flange Standard : NOT GIVEN (DIN 6921)	2	
41	1044734	M5X12_Socket Head Screws (M5 x 12 / X15)	McMaster PN 91502A144 Material: Steel 8.8 Finish: blue galvanized Type: Socket Head Screws _deep head Standard : NOT GIVEN (ISO 4762)	2	
42	500339	M5 x 20 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
43	500557	M6 x 30 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/

44	500979	M5 X 12 _Hexagon socket countersunk head cap screws	Material: Steel 10.9 Finish: Zinc-Plated Type: Hexagon socket countersunk head cap screws Standard : ISO 10642 UNI 5933	8	https://www.fasteners.eu/standards/ISO/10642/
45	500545	M5 _Hexagon self clinching nut , case hardened	Bossard AG PN : BN201.1001698 Material: Steel Finish: Zinc-Plated blue Type: Hexagon self clinching nut , case hardened Standard : ISO 10642 UNI 5933	9	
46	500793	M5 X 12_Torus Head lens Screw with Collar (refer drawing)	Material: Inox A2 stainless steel Finish: NA Type: Lens screw with collar Standard :	21	
47	500341	M6x25 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
48	500900	M8X30 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
49	501572	M8 _Flat Washer	McMaster PN 94630A213 Material: Steel Finish: NA Type: Flat Washer Standard : DIN 7349 / BN733	4	https://www.fasteners.eu/standards/DIN/7349
50	524397	M8 x 40 _Hexagon socket Head Cap Screws (With Shank)	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws with shank Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
51	500387	M8X20 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
52	500414	M5 X 30 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
53	500900	M8X30 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	8	https://www.fasteners.eu/standards/ISO/4762/
54	500790	Ø30 _ External Retaining Ring	McMaster PN 98541A134 Material: 1060-1090 Spring Steel Finish: Black-Phosphate Type: External Retaining Ring Standard : DIN 471 ~UNI 7435 ~ČSN 022930	2	https://www.fasteners.eu/standards/DIN/471

55	524397	M8 x 40_Hexagon socket Head Cap Screws (With Shank)	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws with shank Standard :ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
56	500437	Ø32 x1.3mm_Internal Retaining Ring	McMaster PN 98455A129 Material: 1060-1090 Spring Steel Finish: Black-Phosphate Type:Internal Retaining Ring Standard : DIN 472 ~UNI 7437 ~ČSN 022931	2	https://www.fasteners.eu/standards/DIN/472/
57	501286	Ø55x2mm_Internal Retaining Ring	McMaster PN 98455A144 Material: 1060-1090 Spring Steel Finish: Black-Phosphate Type:Internal Retaining Ring Standard : DIN 472 ~UNI 7437 ~ČSN 022931	2	https://www.fasteners.eu/standards/DIN/472/
58	500991	Ø12X1mm _ External Retaining Ring	McMaster PN 98541A119 Material: 1060-1090 Spring Steel Finish: Black-Phosphate Type: External Retaining Ring Standard : DIN 471 ~UNI 7435 ~ČSN 022930	2	https://www.fasteners.eu/standards/DIN/471/
59	500062	M8-10 _ T sliding block (T-Nuts)	DR. C. HANSER AG, PN 508-10-M8-10 Material: stainless steel Finish: Burnished Type: T sliding block Standard : DIN 508	2	https://uk.misumi-ec.com/vona2/detail/223013802315/?HissuCode=508-10-M8-10
60	426322	Ø6,M6 BEM 6_ Heavy duty rod ends	Bossard AG PN BEM 06-20-502 Finish: blue galvanized Type: Heavy duty rod ends (Right hand thread) Standard :ISO 12240-4K	1	https://en.durba.de/database/product/bem/bem-06-20-502
61	500655	M6 X 16_Torus Head lens Screw with Collar (refer drawing)	Material: Inox A2 stainless steel Finish: NA Type: Lens screw with collar Standard :	5	
62	500713	Dowel : Ø5 X 20 (h8 tolerances)	Material: A1 stainless steel Finish: Blank Type: Dowel Standard : ISO 2338 ~DIN 7 ~VSM 12771 B ~UNI 1707 ~ČSN 022150	1	https://www.fasteners.eu/standards/ISO/2338
63	500720	M6 - Flat Washer (Refer Drawing)	Material: Steel Finish: NA Type: Flat Washer Standard : DIN125 / ISO 7089 / BN715	2	https://www.fasteners.eu/standards/DIN/125-A/
64	504455	M6_ Hexagon Cup Nuts - Low Pattern	Material: Steel Finish: blue galvanized Type: Hexagon Cup Nuts - Low Pattern Standard :DIN 917	1	https://www.fasteners.eu/standards/DIN/917
65	504607	Hexagonal nut 0.8 d (M5)	Material: Steel 8 Finish: blue galvanized Type: Hexagon Nuts. Standard :ISO 4032 UNI 5588 ČSN 021401	1	https://www.fasteners.eu/standards/ISO/4032

66	504608	Hexagonal nut 0.8 d (M6)	Material: Steel 8 Finish: NA Type: Hexagon Nuts. Standard : ISO 4032	1	https://www.fasteners.eu/standards/ISO/4032
67	506873	M6X120_ Hexagon socket Head Cap Screws (With Shank)	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws with shank Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	1	https://www.fasteners.eu/standards/ISO/4762/
68	521053	M8 X 25_ Hexagon socket set screws with flat point	Material: Steel 45H Finish: Zinc flake coated Type: Hexagon socket set screws with flat point Standard : ISO 4026 DIN 913 UNI 5923 ČSN 021187	3	https://www.fasteners.eu/standards/ISO/4026
69	547075	Ø5,M5 BEM 5_ Heavy duty rod ends	Bossard AG PN BEM 05-20-502 Finish: blue galvanized Type: Heavy duty rod ends (Right hand thread) Standard : ISO 12240-4K	1	
70	1007066	Ø20mm_ V-retaining rings for shafts type A	Bossard AG PN : BN829 Ø20mm Material : Spring steel	1	
71	500645	M4 X 14_ Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
72	500339	M5 x 20_ Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
73	500340	M5 X 25_ Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
74	500413	M5 X 10_ Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
75	500564	Ø15mm_ V-retaining rings for shafts type A	Bossard AG PN : BN829 Ø15mm Material : Spring steel	1	
76	500648	M4 X 12_ Hexagon socket Head Cap Screws	McMaster PN Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	6	https://www.fasteners.eu/standards/ISO/4762/
77	500745	M4_ Hex self clinching nuts	Bossard AG PN : BN201.1001345 Material : steel Finish : zinc plated blue	8	

78	500979	M5 X 12 _Hexagon socket countersunk head cap screws	McMaster PN 91263A833 Material: Zinc-Plated Alloy Steel / Steel 10.9 Finish: Zinc-Plated Type: Hexagon socket countersunk head cap screws Standard : ISO 10642 UNI 5933	8	https://www.fasteners.eu/standards/ISO/10642/
79	501001	M5 X 14 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
80	501316	Ø25mm_ V-retaining rings for shafts type A	Bossard AG PN: : BN829 Ø25mm Material : Spring steel	1	
81	504850	M3 X 8 _Flat Head Screw	McMaster PN 92010A118 Material: Inox A2 stainless steel Finish: Passivated Type: Flat Head Screw Standard : NOT GIVEN (DIN 965)	2	https://www.fasteners.eu/standards/DIN/965_
82	509666	M3 X 8 _Hexagon socket Head Cap Screws	McMaster PN Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
83	509670	M3 X 16 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
84	515428	M4 x 8 _Lens screw, eco-fix	McMaster PN 92000A218 Material: Inox A2 stainless steel Finish: Passivated Type: 18-8 Stainless Steel Pan Head Phillips Screws Standard : NOT GIVEN (DIN 7985)	12	https://www.fasteners.eu/standards/DIN/7985/
85	534402	Dowel : Ø5 X 10 (h8 tolerances)	Material: A1 stainless steel Finish: Blank Type: Dowel Standard : ISO 2338 ~DIN 7 ~VSM 12771 B ~UNI 1707 ~ČSN 022150	2	https://www.fasteners.eu/standards/ISO/2338
86	629252	M4 X 22 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	1	https://www.fasteners.eu/standards/ISO/4762/
87	1028684	Ø40mm_ V-retaining rings for shafts type A	Bossard AG PN: : BN829 Ø40mm Material : Spring steel	2	
88	1030408	O-ring	Orig. Material - NBR NT 70.11 Shore hardness- NT 70.11 Ød1: 54.00 , ØD1: 58.00 , L1: 2.00 (Manufacturer: NORMATEC Order description: A030_100_002)	2	
89	1030416	M4 X 16 _ Hexagon flange bolts	McMaster PN M4 not available Material: Steel 12.9 Finish: Blue Glvanized Type: Flanged Hex Head Standard : DIN 6921-BN1392	16	M4 not available

90	500339	M5 x 20 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
91	629258	M5 X 22 _Hexagon socket Head Cap Screws	McMaster PN Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	9	https://www.fasteners.eu/standards/ISO/4762/
92	515428	M4 x 8 _Lens screw, eco-fix	McMaster PN 92000A218 Material: Inox A2 stainless steel Finish: Passivated Type: 18-8 Stainless Steel Pan Head Phillips Screws Standard : NOT GIVEN (DIN 7985)	4	https://www.fasteners.eu/standards/DIN/7985/
93	500370	Dowel : Ø5 X 16 (h8 tolerances)	Material: Stainless Steel A1 Finish: NA Type: Dowel Standard : ISO 2338 ~DIN 7 ~VSM 12771 B ~UNI 1707 ~ČSN 022150	2	https://www.fasteners.eu/standards/ISO/2338
94	500400	M5 X 18 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	6	https://www.fasteners.eu/standards/ISO/4762/
95	500495	Ø17mm _V-retaining rings for shafts type A	Bossard AG PN : BN829 Ø17mm Material : Spring steel	10	
96	500612	M5 X 16_Socket Head Screws	McMaster PN not available Material: Steel 8.8 Finish: Blue Glvanized Type: Socket Head Screws Standard : DIN 7984 UNI 9327	6	https://www.fasteners.eu/standards/DIN/7349
97	500631	M6 X 75 _Hexagon socket Head Cap Screws (with shank)	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	4	https://www.fasteners.eu/standards/ISO/4762/
98	500648	M4 X 12 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws with shank Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	8	https://www.fasteners.eu/standards/ISO/4762/
99	500783	Dowel : Ø5 X 12 (h8 tolerances)	Material: Stainless Steel A1 Finish: NA Type: Dowel Standard : ISO 2338 ~DIN 7 ~VSM 12771 B ~UNI 1707 ~ČSN 022150	8	https://www.fasteners.eu/standards/ISO/2338

100	501036	M6 X 90 _Hexagon socket Head Cap Screws (with shank)	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws with shank Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
101	501053	M4 X 25 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	56	https://www.fasteners.eu/standards/ISO/4762/
102	501060	M4 X 20 _Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
103	501062	M6 X 40 _Hexagon socket Head Cap Screws (with shank)	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws with shank Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	6	https://www.fasteners.eu/standards/ISO/4762/
104	509690	M6 X 70 _Hexagon socket Head Cap Screws (with shank)	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws with shank Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	10	https://www.fasteners.eu/standards/ISO/4762/
105	507339	M6x80mm_Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : DIN912 / BN4 / ISO4762	7	https://www.fasteners.eu/standards/DIN/912/
106	508283	Dowel : Ø8 X 16mm (Tolerance h8)	McMaster PN 97049A122 Material: Stainless steel A1 Finish: NA Type: Dowel Standard : ISO 2338 ~DIN 7 ~VSM 12771 B ~UNI 1707 ~ČSN 022150	2	https://www.fasteners.eu/standards/ISO/2338/
107	508592	Dowel : Ø8 X 30 (h6 tolerances)	McMaster PN 91595A567 Material: Steel HRC 60 Finish: Blank Type: Dowel Standard : ISO 8734 ~UNI 6364 A ~ČSN 022152	2	https://www.fasteners.eu/standards/ISO/8734/
108	510505	Dowel : Ø8 X 12mm (Tolerance h8)	McMaster PN 12mm lenth not available Material: Stainless steel A1 Finish: NA Type: Dowel Standard : ISO 2338 ~DIN 7 ~VSM 12771 B ~UNI 1707 ~ČSN 022150	2	https://www.fasteners.eu/standards/ISO/2338/
109	522271	Circlip for bore	Manufacturer: M. Wilhelmsen A/S Order description: BR052	2	
110	525969	HITEC precision O-ring	Oring. Material - NBR NT 70.11 Shore hardness- NT 70.11 ID: 40mm, Cross section- 1mm	4	
111	556562	Ø30mm_ V-retaining rings for shafts type A (refer drawing)	Bossard AG PN : BN829 Ø30mm Material : Spring steel	2	

112	629252	M4 X 22_Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	2	https://www.fasteners.eu/standards/ISO/4762/
113	505358	M4 X 12_Hexagon socket countersunk head cap screws	McMaster PN 91263A829 Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 10642 UNI 5933	4	https://www.fasteners.eu/standards/ISO/10642/
114	500465	M4 x 8_Hex socket head cap screws with extremely low head	Bossard AG PN BN20697 Material: Steel 10.9 Finish: blue galvanized Type: Hexagon socket Head Cap Screws	2	https://www.bossard.com/eshop/in-en/screws-and-bolts-with-internal-drive/hex-socket-head-cap-screws-with-extremely-low-head/p/20697/
115	500866	M8 X 35_Hexagon socket Head Cap Screws	Material: Steel 8.8 Finish: blue galvanized Type: Hexagon socket Head Cap Screws Standard : ISO 4762 ~UNI 5931 ~ČSN 021143	1	https://www.fasteners.eu/standards/ISO/4762/