

RFQ NO.		Remarks
	BOLT	
1	ISO 4014 Hex Bolt M16 55MM HDG8.8 PARTIAL THREAD 38	5568
2	ISO 4014 Hex Bolt M12 35MM HDG8.8 PARTIAL THREAD 30.5	145
3	ISO 4014 Hex Bolt M16 45MM HDG8.8 PARTIAL THREAD 40.5	837
4	ISO 4014 Hex Bolt M16 50MM HDG8.8 PARTIAL THREAD 45.5	1820
5	ISO 7378 Hex Bolt M16 140MM HDG8.8 PARTIAL THREAD 30	836
6	ISO 4014 Hex Bolt M20 65MM HDG8.8 PARTIAL THREAD 60.5	404
7	ISO 10642 Counter Sunk M8 14MM Zinc FULL THREAD 14	261 Zinc flake high grade / HDG8.8
8	ISO 4014 Hex Bolt M16 60MM HDG8.8 PARTIAL THREAD 55.5	1039
9	ISO 4014 Hex Bolt M12 50MM HDG8.8 PARTIAL THREAD 45.5	174
10	ISO 4014 Hex Bolt M16 215MM HDG8.8 PARTIAL THREAD 65	29
11	ISO 4014 Hex Bolt M12 55MM HDG8.8 PARTIAL THREAD 50.5	174
12	ISO 4026 Grub Screw with L-key hole M42 30MM HDPE FULL THREAD FULL	58
13	EN 14399-4 Hex Bolt M24 90MM HDG10.9 PARTIAL THREAD 85.5	1998
14	ISO 4014 Hex Bolt M16 35MM HDG8.8 PARTIAL THREAD 30.5	1244
15	ISO 4017 Hex Bolt M20 65MM HDG8.8 FULL THREAD 65	202
16	ISO 4014 Hex Bolt M16 55MM DUPLEXD6-70 PARTIAL THREAD 38	58
17	ISO 4014 Hex Bolt M16 540MM HDG8.8 PARTIAL THREAD 80	620
18	DIN 603 Hex Bolt M6 25MM DUPLEXD6-70 PARTIAL THREAD 20.5	2434
19	ISO 4014 Hex Bolt M16 60MM DUPLEXD6-70 PARTIAL THREAD 55.5	260
20	EN 14399-4 Hex Bolt M16 50MM HDG10.9 PARTIAL THREAD 45.5	875
21	ISO 4014 Hex Bolt M16 80MM HDG8.8 PARTIAL THREAD 75.5	231
22	ISO 4014 Hex Bolt M16 70MM HDG8.8 PARTIAL THREAD 65.5	58
23	ISO 4014 Hex Bolt M16 65MM DUPLEXD6-70 PARTIAL THREAD 60.5	288
24	ISO 4014 Hex Bolt M10 55MM DUPLEXD6-70 PARTIAL THREAD 50.5	288
25	ISO 4014 Hex Bolt M16 30MM HDG8.8 PARTIAL THREAD 25.5	58
26	ISO 4762 Hex Socket Cap M12 40MM DUPLEXD6-70 PARTIAL THREAD 35.5	87
27	ISO 10642 Counter Sunk M24 55MM DUPLEXD6-70 PARTIAL THREAD 50.5	116
28	ISO 4014 Hex Bolt M12 65MM DUPLEXD6-70 PARTIAL THREAD 60.5	346
29	ISO 4014 Hex Bolt M12 50MM DUPLEXD6-70 PARTIAL THREAD 45.5	58
30	EN 14399-4 Hex Bolt M24 145MM HDG10.9 PARTIAL THREAD 45	250

31	ISO 10642 Counter Sunk M12 25MM Zinc PARTIAL THREAD 20.5	922	Zinc flake high grade / HDG8.8
32	ISO 4014 Hex Bolt M12 40MM HDG8.8 PARTIAL THREAD 35.5	145	
33	EN 14399-4 Hex Bolt M39 180MM HDG10.9 PARTIAL THREAD 175.5	749	
34	ISO 4017 Hex Bolt M12 25MM Stainless SteelA4-80 FULL THREAD 20.5	116	
35	ISO 4014 Hex Bolt M10 18MM DUPLEXD6-70 FULL THREAD FULL	346	
36	ISO 4026 Grub Screw with L-key hole M10 12MM HDPE FULL THREAD FULL	634	
37	ISO 4026 Grub Screw with L-key hole M12 12MM HDPE FULL THREAD FULL	173	
38	ISO 4762 Hex Socket Cap M4 30MM Zinc THREAD	657	Zinc flake high grade / HDG8.8

BOLT CAP

39	BOLT CAP M16	1680	
----	--------------	------	--

WASHER

40	ISO 7089 WASHER M16 HDG8.8, THICKNESS 3.3	22364	
41	ISO 7089 WASHER M12 HDG8.8, THICKNESS 2.7	1276	
42A	ISO 7089 WASHER M20 HDG8.8, THICKNESS 3.3	404	
42B	ISO 7089 WASHER M20 HDG8.8, THICKNESS 4.3	808	
43	EN 14399-6 WASHER M24 HDG10.9, THICKNESS 4.3	4496	
44	ISO 7089 WASHER M16 DUPLEXD6-70, THICKNESS 3.3	116	
45	ISO 7089 WASHER M6 DUPLEXD6-70, THICKNESS 1.8	4868	
46	EN 14399-6 WASHER M16 HDG10.9, THICKNESS 3.3	875	
47	ISO 7089 WASHER M12 DUPLEXD6-70, THICKNESS 2.7	808	
48	EN 14399-6 WASHER M39 HDG10.9, THICKNESS 4.3	1498	
49	DIN 25201 WASHER M12 Stainless SteelA4-80, THICKNESS 2.2	116	
50	ISO 7089 WASHER M10 DUPLEXD6-70, THICKNESS 2.7	346	

51 ISO 7089 WASHER M4 Zinc, THICKNESS 0.8

1314 Zinc flake high grade / HDG8.8

OVERSIZED WASHER

52 ISO 7093 OVERSIZED WASHER M16 DUPLEXD6-70, THICKNESS 3.3

1096

53 ISO 7093 OVERSIZED WASHER M10 DUPLEXD6-70, THICKNESS 2.7

576

54 ISO 7093 OVERSIZED WASHER M16 HDG8.8, THICKNESS 3.3

1158

NUT

55 ISO 4032 NUT M16 HDG8.8, THICKNESS 14.8

7383

56 ISO 4032 NUT M12 HDG8.8, THICKNESS 10.8

319

57 ISO 4032 NUT M20 HDG8.8, THICKNESS 22.8

808

58 EN 14399-4 NUT M24 HDG10.9, THICKNESS 20

2248

59 ISO 4161 NUT M6 DUPLEXD6-70, THICKNESS 8

2434

60 ISO 4032 NUT M12 DUPLEXD6-70, THICKNESS 10.8

375

61 EN 14399-4 NUT M39 HDG10.9, THICKNESS 31.8

749

62 ISO 4032 NUT M16 DUPLEXD6-70, THICKNESS 14.8

116

NYLOCK NUT

63 ISO 7040 NYLOCK NUT M16 HDG8.8, THICKNESS 19.1

4636

64 ISO 7040 NYLOCK NUT M20 HDG8.8, THICKNESS 22.8

606

65 ISO 7040 NYLOCK NUT M12 HDG8.8, THICKNESS 14.9

493

66	ISO 7040 NYLOCK NUT M16 DUPLEXD6-70, THICKNESS 19.1	606
67	ISO 7040 NYLOCK NUT M10 DUPLEXD6-70, THICKNESS 11.9	288
68	ISO 7040 NYLOCK NUT M12 DUPLEXD6-70, THICKNESS 14.9	58
69	DIN 985 NYLOCK NUT M4 Zinc, THICKNESS 4	657 Zinc flake high grade / HDG8.8

INSULATION FLAT WASHER

70	INSULATION WASHER M16, THICKNESS 3	3744
71	INSULATION WASHER M6, THICKNESS 2	2808
72	INSULATION WASHER M12, THICKNESS 3	72
73	INSULATION WASHER M10, THICKNESS 2	432

INSULATION SHOULDER WASHER

74	INSULATION SHOULDER WASHER M16, LENGTH 15, THICKNESS 3	1584
75	INSULATION SHOULDER WASHER M6, LENGTH 15, THICKNESS 2	2808
76	INSULATION SHOULDER WASHER M10, LENGTH 15, THICKNESS 2	720
77	INSULATION SHOULDER WASHER M12, LENGTH 15, THICKNESS 3	144

Total Qty 102445