

Ref Material	Description	UOM	Quantity	RFQ
72564	<b>BLD:PIPE;PADDLE;4 ID X 7.1/2 OD IN;CL600</b> BLIND TYPE: PADDLE SIZE: 4 ID X 7.1/2 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL600 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGHT 4 THICKNESS : 0.62 IN MANUFACTURER PART NUMBER: SK4",ANSI 600 MANUFACTURER NAME: STANDARD FASTENERS	EA	4	6000244495
72535	<b>BLD:PIPE;PADDLE;6 ID X 8.5/8 OD IN;CL150</b> BLIND TYPE: PADDLE SIZE: 6 ID X 8.5/8 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/2 IN MANUFACTURER PART NUMBER: SK6",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS	EA	10	6000244495
72550	<b>BLD:PIPE;PADDLE;6 ID X 9.3/4 OD IN;CL300</b> BLIND TYPE: PADDLE SIZE: 6 ID X 9.3/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 5/8 IN MANUFACTURER PART NUMBER: SK6",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	6000244495
72551	<b>BLD:PIPE;PADDLE;8 ID X 12 OD IN;304 SS</b> BLIND TYPE: PADDLE SIZE: 8 ID X 12 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 0.873 IN MANUFACTURER PART NUMBER: SK8",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	6000244495

72542	<b>BLIND;150#;PADDLE;304 SS;RF;SK20",150#</b> SHORT_NAME:BLIND TYPE:PADDLE SIZE:NOM. 20 IN OUT. DIA. 23.625*THICKNESS 1.125 PRESSURE_RATING:ANSI 150# MATERIAL:304 SS FLANGE_FACING:RAISED FACE SPECIAL_FEATURES:TAG LENGNT 5 MANUFACTURER_NAME:STANDARD FASTENERS MANUFACTURER_PART_NUMBER:SK20",ANSI 150	EA	6	<b>6000244495</b>
72536	<b>BLIND;150#;PADDLE;304 SS;RF;SK8",150#</b> SHORT_NAME:BLIND TYPE:PADDLE SIZE:NOM. 8 IN*OUT. DIA.10.875*THICKNESS 0.5 PRESSURE_RATING:ANSI 150# MATERIAL:304 SS FLANGE_FACING:RAISED FACE SPECIAL_FEATURES:TAG LENGNT 4 MANUFACTURER_NAME:STANDARD FASTENERS MANUFACTURER_PART_NUMBER:SK8",ANSI 150	EA	6	<b>6000244495</b>
72556	<b>BLIND;300#;PADDLE;304 SS;RF;SK18",300#</b> SHORT_NAME:BLIND TYPE:PADDLE SIZE:NOM. 18 IN OUT. DIA. 23.375*THICKNESS 1.625 PRESSURE_RATING:ANSI 300# MATERIAL:304 SS FLANGE_FACING:RAISED FACE SPECIAL_FEATURES:TAG LENGNT 5 MANUFACTURER_NAME:STANDARD FASTENERS MANUFACTURER_PART_NUMBER:SK18",ANSI 300	EA	6	<b>6000244495</b>
72565	<b>BLIND;600#;PADDLE;304 SS;RF;SK6",600#</b> SHORT_NAME:BLIND TYPE:PADDLE SIZE:NOM. 6 IN*OUT. DIA. 10.38 IN*THICKNESS 0.88 PRESSURE_RATING:ANSI 600# MATERIAL:304 SS FLANGE_FACING:RAISED FACE SPECIAL_FEATURES:TAG LENGNT 4 MANUFACTURER_NAME:STANDARD FASTENERS MANUFACTURER_PART_NUMBER:SK6",ANSI 600	EA	4	<b>6000244495</b>
72532	<b>BLD;PIPE;PADDLE;2.1/2 ID X 4.3/4 OD IN</b> BLIND TYPE: PADDLE SIZE: 2.1/2 ID X 4.3/4 OD IN	EA		<b>6000244494</b>

	MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/4 IN  MANUFACTURER PART NUMBER: SK2 1/2",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS		10	
72547	<b>BLD:PIPE;PADDLE;2.1/2 ID X 5 OD IN;CL300</b> BLIND TYPE: PADDLE SIZE: 2.1/2 ID X 5 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 3/8 IN  MANUFACTURER PART NUMBER: SK2 1/2",ANSI 300 MANUFACTURER NAME: STANDARD FASTENER	EA	6	<b>6000244494</b>
72543	<b>BLD:PIPE;PADDLE;24 ID X 28 OD IN;304 SS</b> BLIND TYPE: PADDLE SIZE: 24 ID X 28 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 28 THICKNESS : 1.1/4 IN  MANUFACTURER PART NUMBER: SK24",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	<b>6000244494</b>
72558	<b>BLD:PIPE;PADDLE;24 ID X 30.3/8 OD IN;RF</b> BLIND TYPE: PADDLE SIZE: 24 ID X 30.3/8 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 6 THICKNESS : 2 IN  MANUFACTURER PART NUMBER: SK24",ANSI 300 MANUFACTURER NAME: STANDARD FASTENER	EA	4	<b>6000244494</b>
72533	<b>BLD:PIPE;PADDLE;3 ID X 5.1/4 OD IN;CL150</b> BLIND TYPE: PADDLE SIZE: 3 ID X 5.1/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE	EA	10	<b>6000244494</b>

	ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/4 IN MANUFACTURER PART NUMBER: SK3",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS			
72548	<b>BLD:PIPE;PADDLE;3 ID X 5.3/4 OD IN;CL300</b> BLIND TYPE: PADDLE SIZE: 3 ID X 5.3/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 3/8 IN MANUFACTURER PART NUMBER: SK3",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	<b>6000244494</b>
72563	<b>BLD:PIPE;PADDLE;3 ID X 5.3/4 OD IN;CL600</b> BLIND TYPE: PADDLE SIZE: 3 ID X 5.3/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL600 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/2 IN MANUFACTURER PART NUMBER: SK3",ANSI 600 RF MANUFACTURER NAME: STANDARD FASTENERS	EA	4	<b>6000244494</b>
72534	<b>BLD:PIPE;PADDLE;4 ID X 6.3/4 OD IN;CL150</b> BLIND TYPE: PADDLE SIZE: 4 ID X 6.3/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 3/8 IN MANUFACTURER PART NUMBER: SK4",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS	EA	10	<b>6000244494</b>
72549	<b>BLD:PIPE;PADDLE;4 ID X 7 OD IN;304 SS;RF</b> BLIND TYPE: PADDLE SIZE: 4 ID X 7 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/2 IN MANUFACTURER PART NUMBER: SK4",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	<b>6000244494</b>
	<b>BLD:PIPE;PADDLE;14 ID X 17.5/8 OD IN;RF</b> BLIND	EA	10	<b>6000244493</b>

72539	TYPE: PADDLE SIZE: 14 ID X 17.5/8 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 5 THICKNESS : 3/4 IN MANUFACTURER PART NUMBER: SK14",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS			
72554	<b>BLD:PIPE;PADDLE;14 ID X 19 OD IN;304 SS</b> BLIND TYPE: PADDLE SIZE: 14 ID X 19 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 19 THICKNESS : 1.1/4 IN MANUFACTURER PART NUMBER: SK14",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	<b>6000244493</b>
72540	<b>BLD:PIPE;PADDLE;16 ID X 20.1/8 OD IN;RF</b> BLIND TYPE: PADDLE SIZE: 16 ID X 20.1/8 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 5 THICKNESS : 7/8 IN MANUFACTURER PART NUMBER: SK16",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS	EA	10	<b>6000244493</b>
72555	<b>BLD:PIPE;PADDLE;16 ID X 21.1/8 OD IN;RF</b> BLIND TYPE: PADDLE SIZE: 16 ID X 21.1/8 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 5 THICKNESS : 1.1/2 IN MANUFACTURER PART NUMBER: SK16",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	<b>6000244493</b>
72541	<b>BLD:PIPE;PADDLE;18 ID X 21.3/8 OD IN;RF</b> BLIND TYPE: PADDLE SIZE: 18 ID X 21.3/8 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 5	EA	6	<b>6000244493</b>

	THICKNESS : 1 IN MANUFACTURER PART NUMBER: SK18",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS			
72531	<b>BLD:PIPE;PADDLE;2 ID X 4 OD IN;304 SS;RF</b> BLIND TYPE: PADDLE SIZE: 2 ID X 4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/4 IN MANUFACTURER PART NUMBER: SK 2",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS	EA	10	<b>6000244493</b>
72546	<b>BLD:PIPE;PADDLE;2 ID X 4.1/4 OD IN;CL300</b> BLIND TYPE: PADDLE SIZE: 2 ID X 4.1/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 3/8 IN MANUFACTURER PART NUMBER: SK2",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	<b>6000244493</b>
72561	<b>BLD:PIPE;PADDLE;2 ID X 4.1/4 OD IN;CL600</b> BLIND TYPE: PADDLE SIZE: 2 ID X 4.1/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL600 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 0.38 IN MANUFACTURER PART NUMBER: SK2",ANSI 600 MANUFACTURER NAME: STANDARD FASTENERS	EA	4	<b>6000244493</b>
72562	<b>BLD:PIPE;PADDLE;2 ID X 5 OD IN;304 SS;RF</b> BLIND TYPE: PADDLE SIZE: 2 ID X 5 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL600 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/2 IN MANUFACTURER PART NUMBER: SK2 1/2",ANSI 600 MANUFACTURER NAME: STANDARD FASTENERS	EA		<b>6000244493</b>
	<b>BLD:PIPE;PADDLE;1 ID X 1/2 OD IN;304 SS</b> BLIND TYPE: PADDLE			<b>6000244489</b>

72530	SIZE: 1 ID X 1/2 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/4 IN  MANUFACTURER PART NUMBER: SK1" 1/2,ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS	EA	10	
72529	<b>BLD:PIPE;PADDLE;1 ID X 2.1/2 OD IN;CL150</b> BLIND TYPE: PADDLE SIZE: 1 ID X 2.1/2 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/4 IN MANUFACTURER PART NUMBER: SK1",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS	EA	10	6000244489
72544	<b>BLD:PIPE;PADDLE;1 ID X 2.3/4 OD IN;CL300</b> BLIND TYPE: PADDLE SIZE: 1 ID X 2.3/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 1/4 IN MANUFACTURER PART NUMBER: SK1",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	6000244489
72560	<b>BLD:PIPE;PADDLE;1 ID X 3.62 OD IN;304 SS</b> BLIND TYPE: PADDLE SIZE: 1 ID X 3.62 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL600 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 4 THICKNESS : 0.38 IN  MANUFACTURER PART NUMBER: SK1" 1/2,ANSI 600 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	6000244489
72537	<b>BLD:PIPE;PADDLE;10 ID X 13.1/4 OD IN;RF</b> BLIND TYPE: PADDLE SIZE: 10 ID X 13.1/4 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE	EA	10	6000244489

	ADDITIONAL INFORMATION: TAG LENGTH 5 THICKNESS : 5/8 IN MANUFACTURER PART NUMBER: SK10",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS			
72552	<b>BLD:PIPE;PADDLE;10 ID X 14.1/8 OD IN;RF</b> BLIND TYPE: PADDLE SIZE: 10 ID X 14.1/8 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 5 THICKNESS : 1 IN MANUFACTURER PART NUMBER: SK10",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	<b>6000244489</b>
72538	<b>BLD:PIPE;PADDLE;12 ID X 16 OD IN;304 SS</b> BLIND TYPE: PADDLE SIZE: 12 ID X 16 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL150 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 16 THICKNESS : 3/4 IN MANUFACTURER PART NUMBER: SK12",ANSI 150 MANUFACTURER NAME: STANDARD FASTENERS	EA	10	<b>6000244489</b>
72553	<b>BLD:PIPE;PADDLE;12 ID X 16.1/2 OD IN;RF</b> BLIND TYPE: PADDLE SIZE: 12 ID X 16.1/2 OD IN MATERIAL: 304 STAINLESS STEEL PRESSURE RATING: CL300 FLANGE FACING: RAISED FACE ADDITIONAL INFORMATION: TAG LENGTH 5 THICKNESS : 1.1/8 IN MANUFACTURER PART NUMBER: SK12",ANSI 300 MANUFACTURER NAME: STANDARD FASTENERS	EA	6	<b>6000244489</b>