

Part No.	Description	Equivalent accepted	Qty	Unit
DIN7984 M4X10-8.8	Bolt, Cap, Hexagon Head DIN7984 (M4X10-8.8)	BOLT, CAP, HEXAGON HEAD DIN7984 M4X10-8.8	850	pcs
FSC0501C0.3750X1.0 000A	Hex Socket Head Cap Screw, 3/8-16 UNC, ANSI B18.3	HEX SOC HEAD CAP SCREW, 3/8-16 UNC, ANSI	450	pcs
FSC0501C0.3750X1.0 000A00	Hex Socket Head Cap Screw, 3/8-16 UNC, ANSI B18.3 DCAROTISING AS PER DOC. NO. LT/HED/DNEC/009 TO 10- 20 MICRONS THICKNESS	HEX SOC HEAD CAP SCREW, 3/8-16 UNC, ANSI B18.3 DCAROTISING AS PER DOC. NO. LT/HED/DNEC/009 TO 10-20	650	pcs
FSC0501C0.3750X1.5 000A00	HEX SOC HEAD CAP SCREW, 3/8-16 UNC, ANSI B18.3 DACROTISING AS PER DOC. NO. LT/HED/DNEC/009 TO 10- 20 MICRONS THICKNESS	HEX SOC HEAD CAP SCREW, 3/8-16 UNC, ANSI B18.3 DACROTISING AS PER DOC. NO. LT/HED/DNEC/009 TO 10-20	450	pcs
FSC0502M003X012Z	Hex Socket Head Cap Screw M3 X 12LG. IS 2269 SS A4-80	HEX. SOC. HD. CAP SCREWM3 X 12LG. IS 2269	220	pcs
FSC2001C0.3750X1.0 0E	HEX CAP SCREW, 3/8-16 UNC, ANSI B18.2.1	HEX CAP SCREW, 3/8-16 UNC, ANSI B18.2.1	450	pcs
FSC2001C0.5000X1.5 0E	HEX CAP SCREW, 1/2-13 UNC, ANSI B18.2.1	HEX CAP SCREW, 1/2-13 UNC, ANSI B18.2.1	650	pcs
FSC2001F0.5000X1.5 0E00	HEX CAP SCREW, 1/2-20 UNF, ANSI B18.3.1 DACROTISING AS PER DOC. LT/HED/DNEC/009 TO 10-20 MICRONS THICKNESS	HEX CAP SCREW, 1/2-20 UNF, ANSI B18.3.1 DACROTISING AS PER DOC. LT/HED/DNEC/009 TO 10-20 MICRONS THICKNESS	650	pcs
H14	Spring, Coned Disc	DIN 2093: DSC 28 X 14.2 X 1 BR Electroplated OR Phosphate Coated	2100	pcs
HEXAGON HOLE CUP-END M2.5X3 STS	Set Screw	IS 6094-1, M2.5X3L-A2-21H	110	pcs
HEXAGON HOLE CUP-END M3X3 STS	Set Screw	IS 6094-1, M3X3L-A2-21H	220	pcs
HEXAGON HOLE M4X10 STS	Screw, machine	IS 2269; A4-70 or A2-70	310	pcs
INWARD TEETH TYPE M3 STS	WASHER, LOCKTOOTHED	MULTI TOOTH LOCK WASHER B 3.2, IS - 5371 - SS	750	pcs
INWARD TEETH TYPE M4 STS	WASHER, LOCK, TOOTHED	MULTI TOOTH LOCK WASHER B 4.3, IS - 5371 - SS	450	pcs
KSB 1334 25-3C	GRIP, HANDLE	DIN 319 25-M8-E TYPE ELESA- GANTER or equivalent	110	pcs
KSB1003 M5X20-12.9- A2L	BOLT, CAP. HEXAGON SOCKET HEADED	ISO 4762 / IS 2269 Size - M5X20-12.9-A2L- fZn - 480h	850	pcs
KSB1336-17	RING SUPPORT, KSB 1336, 17	Ring, retaining KSB1336,	110	pcs
		SHAFT, 17(1645F)		pcs
		part specification: I.D : 15.7 mm O.D : 17.2 mm, Thickness :		pcs
L12	SPRING- CONED DISC	DIN 2093: DSC De= 25xDi+12.2 x T= 0.9BR	5600	pcs
M10 X 1.5 X 18	BOLT, EYE	IS 4190, M10X1.5X18	310	pcs
M10X1.5X110	SCREW, CAP, HEXAGON SOCKET HEAD	IS 1364-1 M10X1.5X10L - CL 10.9 (Zinc flake coated) 480h	220	pcs

M10X16L	SET SCREW, HEXAGON SOCKET	IS 6094-1, M10X16L - 45H (Zin flakes coated) - 480h	450	pcs
M16X22	SETSCREW	IS 6094, PART 1 - M16 X 22, MATERIAL A4-21H (Zinc	450	pcs
M2.5X0.45X10	SCREW- CROSS RECESSED HEAD	IS: 7483 DESIGNATED AS:- PAN HEAD SCREW ISO 7045- M2.5X0.45X10-4.8(AS PER ISO 898-1)-H- ELECTROPLATED OR PHOSPHATE COATED AS	450	pcs
M4X0.7	NUT, LOCK, NYLON	(M4X0.7) ISO 7040 A4-70 or ELSE A2-70	220	pcs
M4X5L-A2-5C	SETSCREW, HEXAGON HEADHOLE, FLAT END	IS 6094-1, M4X5L-A2-21H	450	pcs
M5X0.8	Nut, plain, hexagon	IS 1364-1, M5X0.8X30, CL 10.9 (Zin flakes coated) - 480h	650	pcs
M5X0.8X130-22-12.9	HEXAGON SOCKET HEAD CAP SCREW	IS 2269 DESIGNATED AS: 'HEXAGON SOCKET HEAD CAP SCREW ISO 4762-	450	pcs
M5X0.8X30	Bolt, machine	IS 1364-1, M5X0.8X30, CL 10.9 (Zin flakes coated) - 480h	310	pcs
M8X8L-A2-5C	SETSCREW, HEXAGON HEADHOLE, FLAT END	IS 6094-1, M8x8L-A2-21H	310	pcs
ROUND HEADED M3X8 STS	Screw, machine	PHILLIPS SMALL PAN HEAD SCREW JIS B 1111 (Max head dia. 7mm) OR PHILLIPS ROUND HEADED SCREW ASME B18.6.3 (M3X8) A4-70	550	pcs
ROUND HEADED M4X10 STS	Screw, machine	PHILLIPS SMALL PAN HEAD SCREW JIS B 1111 (Max head dia. 7mm) OR PHILLIPS ROUND HEADED SCREW ASME B18.6.3 (M4X10) A4-70	550	pcs
ROUND HEADED M4X25 BLACK	Screw, machine	PHILLIPS SMALL PAN HEAD SCREW JIS B 1111 (Max head dia. 7mm) OR PHILLIPS ROUND HEADED SCREW	220	pcs
SPH-02010351	HEX, HEAD BOLT M4 x 12-8.8/10.9 IS:1364 PART 1	HEX, HEAD BOLT M4 x 12-8.8/10.9 IS:1364 PART 1	450	pcs
SPH-04090800	PHILLIPS PAN HEAD SCREW	M4 X 12 LG. DIN 7985	450	pcs
SPH-98010300	MOUNTING SCREW 10-32UNF-2A x 1.00 CROSS RECESSED FLAT HEAD, SST MATERIAL - GRADE A4 CLASS 80	MOUNTING SCREW 10-32UNF-2A x 1.00 CROSS RECESSED FLAT HEAD, SST MATERIAL - GRADE A4 CLASS 80	450	pcs
SPH-98011100	Plug, Hex Head M20 X 2.5P	Plug, Hex Head M20 X 2.5P	850	pcs
XH01805	Hex Standoff Threaded M3x0.5 Brass 1.181" (30.00mm), Male-Female	Hex Standoff Threaded M3x0.5 Brass 1.181" (30.00mm), Male-	850	pcs
11H	Spring, Coned Disc	DIN 2093, De - 22.5	2700	pcs
CSK M3X8 BLACK	Screw, machine	IS 7483 PART 2 M3 X 8, A2-70- H BLACK	450	pcs
HEXAGON HOLES FLAT-END M3X5 STS	Set Screw	IS 6094-1, M3X5L- A2-21H	220	pcs

KSB 1002 M8X1X45	Bolt, Machine	HEXAGON HEAD SCREW - IS 1364 (PART -2)/ ISO 4017 M8x1x45-8.8-fZn-480h	220	pcs
KSB 1058-T1 M4-8	Nut, Welding	Hexagon weld Nut IS. 8836, M4	850	pcs
KSR 2002-R 1/2 1 B1	Plug, Screw	Plug, Screw having 1/2 inch NPT thread, Socket head	650	pcs
ROUND HEADED M2.5X6 STS	Screw, machine	PHILLIPS SMALL PAN HEAD SCREW JIS B 1111 (Max head dia. 7mm) or PHILLIPS ROUND HEADED SCREW ASME B18.6.3 (M2.5X6) A4-	650	pcs
XH01698	Slotted Counter Sunk Screw M3x 35	Slotted Counter Sunk Screw M3x 35 Material -Matl : SS	220	pcs