



# Povpraševanje

**Naslov Dobavitelja****Informacija**

|                                      |                       |
|--------------------------------------|-----------------------|
| <b>Številka dokumenta</b>            | 6000015372            |
| <b>Datum</b>                         | 06.01.2026            |
| <b>Številka dobavitelja</b>          | 1002361               |
| <b>Kupec</b>                         | Luka Jaklič           |
| <b>Telefon</b>                       | 01 361 97 86          |
| <b>Fax</b>                           |                       |
| <b>e-pošta</b>                       | luka.jaklic@brinox.eu |
| <b>Skrajni rok za oddajo ponudbe</b> | 07.01.2026            |

| Postavka | Material/Opis  | Št.mat.dob. | Količina | EM  |
|----------|--|-------------|----------|-----|
| 10       | 176095<br>BOLT-C-B18-31-2-T1-UNC 1/2"x3.188"-B7<br><a href="#">Item: Continuous threaded stud bolt</a><br><a href="#">Thread size: UNC 1/2"</a><br><a href="#">Length: 3,188";81 mm</a><br><a href="#">Thread length: 3,188";81 mm</a><br><a href="#">Standard of shape / equipment: ASME B18.31.2</a><br><a href="#">Material: B7</a><br><a href="#">Material standard: ASTM A193</a><br><a href="#">Certificate: EN 10204 3.1</a><br><a href="#">Delivery date: Dan 07.04.2026</a> |             | 22,00    | KOS |
| 20       | 176096<br>BOLT-C-B18-31-2-T1-UNC 1/2"x3.740"-B7<br><a href="#">Item: Continuous threaded stud bolt</a><br><a href="#">Thread size: UNC 1/2"</a><br><a href="#">Length: 3,740";95 mm</a><br><a href="#">Thread length: 3,740";95 mm</a><br><a href="#">Standard of shape / equipment: ASME B18.31.2</a><br><a href="#">Material: B7</a><br><a href="#">Material standard: ASTM A193</a><br><a href="#">Certificate: EN 10204 3.1</a><br><a href="#">Delivery date: Dan 16.06.2026</a> |             | 2.700,00 | KOS |
| 30       | 176100<br>BOLT-C-B18-31-2-T1-UNC 1/2"x4.527"-B7<br><a href="#">Item: Continuous threaded stud bolt</a><br><a href="#">Thread size: UNC 1/2"</a><br><a href="#">Length: 4,527";115 mm</a><br><a href="#">Thread length: 4,527";115 mm</a><br><a href="#">Standard of shape / equipment: ASME B18.31.2</a><br><a href="#">Material: B7</a><br><a href="#">Material standard: ASTM A193</a>   |             | 1.950,00 | KOS |





# Povpraševanje

| Postavka | Material/Opis  | Št.mat.dob. | Količina | EM  |
|----------|--|-------------|----------|-----|
| 40       | <p>Certificate: EN 10204 3.1<br/>Delivery date: Dan 16.06.2026</p> <p>176099</p> <p>BOLT-C-B18-31-2-T1-UNC 3/4"x5.590"-B7</p> <p>Item: Continuous threaded stud bolt<br/>Thread size: UNC 3/4"<br/>Length: 5,590";142 mm<br/>Thread length: 5,590";142 mm<br/>Standard of shape / equipment: ASME B18.31.2<br/>Material: B7<br/>Material standard: ASTM A193<br/>Certificate: EN 10204 3.1</p> |             | 135,00   | KOS |
| 50       | <p>Delivery date: Dan 26.05.2026</p> <p>176097</p> <p>BOLT-C-B18-31-2-T1-UNC 5/8"x4.212"-B7</p> <p>Item: Continuous threaded stud bolt<br/>Thread size: UNC 5/8"<br/>Length: 4,212";107 mm<br/>Thread length: 4,212";107 mm<br/>Standard of shape / equipment: ASME B18.31.2<br/>Material: B7<br/>Material standard: ASTM A193<br/>Certificate: EN 10204 3.1</p>                               |             | 1.250,00 | KOS |
| 60       | <p>Delivery date: Dan 16.06.2026</p> <p>176098</p> <p>BOLT-C-B18-31-2-T1-UNC 5/8"x5"-B7</p> <p>Item: Continuous threaded stud bolt<br/>Thread size: UNC 5/8"<br/>Length: 5";127 mm<br/>Thread length: 5";127 mm<br/>Standard of shape / equipment: ASME B18.31.2<br/>Material: B7<br/>Material standard: ASTM A193<br/>Certificate: EN 10204 3.1</p>   |             | 950,00   | KOS |
| 70       | <p>Delivery date: Dan 07.04.2026</p> <p>176101</p> <p>BOLT-C-B18-31-2-T1-UNC 5/8"x5.629"-B7</p> <p>Item: Continuous threaded stud bolt<br/>Thread size: UNC 5/8"<br/>Length: 5,629";143 mm<br/>Thread length: 5,629";143 mm<br/>Standard of shape / equipment: ASME B18.31.2<br/>Material: B7<br/>Material standard: ASTM A193</p>   |             | 115,00   | KOS |





# Povpraševanje

| Postavka | Material/Opis   | Št.mat.dob. | Količina | EM  |
|----------|---|-------------|----------|-----|
| 80       | <p>Certificate: EN 10204 3.1<br/>Delivery date: Dan 16.06.2026</p> <p>176039<br/>BOLT-C-B18-31-2-T2-1/2"-2.95"-B8M-CI.2</p> <p>Item: Clamping type stud bolt<br/>Thread size: UNC 1/2"<br/>Length: 2,95";75 mm<br/>Thread length: 1,250";31,75 mm<br/>Form: Table 2 - Full Body<br/>Standard of shape / equipment: ASME B18.31.2<br/>Technical description: B=1,250" (31,75mm), Total length LT = 2,95" (75mm)<br/>Material: B8M Class 2<br/>Material standard: ASTM A193<br/>Certificate: EN 10204 3.1</p> |             | 6.600,00 | KOS |
| 90       | <p>Delivery date: Dan 16.06.2026</p> <p>176040<br/>BOLT-C-B18-31-2-T2-1/2"-3.34"-B8M-CI.2</p> <p>Item: Clamping type stud bolt<br/>Thread size: UNC 1/2"<br/>Length: 3,34";85 mm<br/>Thread length: 1,250";31,75 mm<br/>Form: Table 2 - Full Body<br/>Standard of shape / equipment: ASME B18.31.2<br/>Technical description: B=1,250" (31,75mm), Total length LT = 3,34" (85mm)<br/>Material: B8M Class 2<br/>Material standard: ASTM A193<br/>Certificate: EN 10204 3.1</p>                               |             | 3.800,00 | KOS |
| 100      | <p>Delivery date: Dan 26.05.2026</p> <p>176044<br/>BOLT-C-B18-31-2-T2-3/4"-4.52"-B8M-CI.2</p> <p>Item: Clamping type stud bolt<br/>Thread size: UNC 3/4"<br/>Length: 4,52";115 mm<br/>Thread length: 1,750";44,45 mm<br/>Form: Table 2 - Full Body<br/>Standard of shape / equipment: ASME B18.31.2<br/>Technical description: B=1,750" (44,45mm), Total length LT = 4,52" (115mm)<br/>Material: B8M Class 2<br/>Material standard: ASTM A193<br/>Certificate: EN 10204 3.1</p>                             |             | 18,00    | KOS |
| 110      | <p>Delivery date: Dan 16.03.2026</p> <p>176041<br/>BOLT-C-B18-31-2-T2-5/8"-3.74"-B8M-CI.2</p> <p>Item: Clamping type stud bolt</p>  |             | 2.300,00 | KOS |





# Povpraševanje

| Postavka | Material/Opis   | Št.mat.dob. | Količina  | EM  |
|----------|---|-------------|-----------|-----|
| 120      | <p>Thread size: UNC 5/8"<br/>Length: 3,74";95 mm<br/>Thread length: 1,500";38,1 mm<br/>Form: Table 2 - Full Body<br/>Standard of shape / equipment: ASME B18.31.2<br/>Technical description: B=1,500" (38,1mm), Total length LT = 3,74" (95mm)<br/>Material: B8M Class 2<br/>Material standard: ASTM A193<br/>Certificate: EN 10204 3.1<br/>Delivery date: Dan 16.06.2026</p> <b>176042</b><br><b>BOLT-C-B18-31-2-T2-5/8"-3.93"-B8M-CI.2</b><br><p>Item: Clamping type stud bolt<br/>Thread size: UNC 5/8"<br/>Length: 3,93";100 mm<br/>Thread length: 1,500";38,1 mm<br/>Form: Table 2 - Full Body<br/>Standard of shape / equipment: ASME B18.31.2<br/>Technical description: B=1,500" (38,1mm), Total length LT = 3,93" (100mm)<br/>Material: B8M Class 2<br/>Material standard: ASTM A193<br/>Certificate: EN 10204 3.1<br/>Delivery date: Dan 26.05.2026</p> |             | 800,00    | KOS |
| 130      | <p><b>176973</b><br/><b>BOLT-ISO-4017-M20x75-A2-70</b><br/><p>Item: Hexagon head screw<br/>Thread size: M20<br/>Length: 75 mm<br/>Thread length: 75 mm<br/>Standard of shape / equipment: ISO 4017<br/>Material: A2-70<br/>Delivery date: Dan 27.03.2026</p></p>  |             | 100,00    | KOS |
| 140      | <p><b>176103</b><br/><b>NUT-C-B18-2-2-T11-UNC 1/2"-8M</b><br/><p>Item: Heavy hexagon nut<br/>Thread size: UNC 1/2"<br/>Standard of shape / equipment: ASME B18.2.2<br/>Material: 8M<br/>Material standard: ASTM A194<br/>Certificate: EN 10204 3.1<br/>Delivery date: Dan 16.06.2026</p></p>  |             | 15.000,00 | KOS |
| 150      | <p><b>176107</b><br/><b>NUT-C-B18-2-2-T11-UNC 3/4"-2H</b><br/><p>Item: Heavy hexagon nut</p></p>  |             | 260,00    | KOS |





# Povpraševanje

| Postavka | Material/Opis  | Št.mat.dob. | Količina | EM  |
|----------|--|-------------|----------|-----|
| 160      | <p>Thread size: UNC 3/4"<br/>Standard of shape / equipment: ASME B18.2.2<br/>Material: 2H<br/>Material standard: ASTM A194<br/>Certificate: EN 10204 3.1<br/>Delivery date: Dan 26.05.2026</p> <p>176105<br/>NUT-C-B18-2-2-T11-UNC 3/4"-8M<br/>Item: Heavy hexagon nut<br/>Thread size: UNC 3/4"<br/>Standard of shape / equipment: ASME B18.2.2<br/>Material: 8M<br/>Material standard: ASTM A194<br/>Certificate: EN 10204 3.1<br/>Delivery date: Dan 16.03.2026</p> |             | 35,00    | KOS |
| 170      | <p>176106<br/>NUT-C-B18-2-2-T11-UNC 5/8"-2H<br/>Item: Heavy hexagon nut<br/>Thread size: UNC 5/8"<br/>Standard of shape / equipment: ASME B18.2.2<br/>Material: 2H<br/>Material standard: ASTM A194<br/>Certificate: EN 10204 3.1<br/>Delivery date: Dan 16.06.2026</p>  |             | 3.650,00 | KOS |
| 180      | <p>176104<br/>NUT-C-B18-2-2-T11-UNC 5/8"-8M<br/>Item: Heavy hexagon nut<br/>Thread size: UNC 5/8"<br/>Standard of shape / equipment: ASME B18.2.2<br/>Material: 8M<br/>Material standard: ASTM A194<br/>Certificate: EN 10204 3.1<br/>Delivery date: Dan 16.06.2026</p>  |             | 5.700,00 | KOS |
| 190      | <p>176108<br/>NUT-C-B18-2-2-T11-UNC 7/8"-2H<br/>Item: Heavy hexagon nut<br/>Thread size: UNC 7/8"<br/>Standard of shape / equipment: ASME B18.2.2<br/>Material: 2H<br/>Material standard: ASTM A194<br/>Certificate: EN 10204 3.1<br/>Delivery date: Dan 16.06.2026</p>  |             | 5.400,00 | KOS |
| 200      | <p>176700</p>  |             | 26,00    | KOS |





# Povpraševanje

| Postavka | Material/Opis   | Št.mat.dob. | Količina  | EM  |
|----------|---|-------------|-----------|-----|
| 210      | WAS-B18.21.1-T11-UNC 1/2"-316<br>Item: Type A Plain Washer<br>Thread size: UNC 1/2"<br>Form: Table 11, type A, series N<br>Standard of shape / equipment: ASME B18.21.1<br>Material: 316<br>Delivery date: Dan 27.03.2026             | 176093      | 6.600,00  | KOS |
| 220      | WAS-B18.21.1-T11-UNC 3/4"-316<br>Item: Type A Plain Washer<br>Thread size: UNC 3/4"<br>Form: Table 11, type A, series N<br>Standard of shape / equipment: ASME B18.21.1<br>Material: 316<br>Delivery date: Dan 16.06.2026             | 176877      | 260,00    | KOS |
| 230      | WAS-B18.21.1-T11-UNC 3/4"-Carbon<br>Item: Type A Plain Washer<br>Thread size: UNC 3/4"<br>Form: Table 11, type A, series N<br>Standard of shape / equipment: ASME B18.21.1<br>Material: Carbon steel<br>Delivery date: Dan 26.05.2026 | 176092      | 14.500,00 | KOS |
| 240      | WAS-B18.21.1-T11-UNC 5/8"-316<br>Item: Type A Plain Washer<br>Thread size: UNC 5/8"<br>Form: Table 11, type A, series N<br>Standard of shape / equipment: ASME B18.21.1<br>Material: 316<br>Delivery date: Dan 16.06.2026             | 176876      | 3.650,00  | KOS |
| 250      | WAS-B18.21.1-T11-UNC 5/8"-Carbon<br>Item: Type A Plain Washer<br>Thread size: UNC 5/8"<br>Form: Table 11, type A, series N<br>Standard of shape / equipment: ASME B18.21.1<br>Material: Carbon steel<br>Delivery date: Dan 07.04.2026 | 176878      | 5.400,00  | KOS |
|          | WAS-B18.21.1-T11-UNC 7/8"-Carbon<br>Item: Type A Plain Washer<br>Thread size: UNC 7/8"  |             |           |     |



# Povpraševanje

| Postavka | Material/Opis   | Št.mat.dob. | Količina | EM |
|----------|---|-------------|----------|----|
|          | Form: Table 11, type A, series N<br>Standard of shape / equipment: ASME B18.21.1<br>Material: Carbon steel<br>Delivery date: Dan 07.04.2026 |             |          |    |

Pri pripravi ponudbe prosimo upoštevajte spodaj navedene smernice.

Splošni nabavni pogoji podjetja so dostopni na spletni strani [www.brinox.si](http://www.brinox.si). Z oddajo ponudbe potrjujete, da ste prebrali, razumeli in sprejeli te pogoje.

V primeru, da vaša ponudba vključuje kakršnakoli tehnična ali drugačna odstopanja glede na naše povpraševane zahteve, ste nas o tem dolžni pisno obvestiti ali to jasno označiti v svoji ponudbi.

Neposredna komunikacija glede teh odstopanj nam omogoča, da se izognemo nesporazumom in zagotovimo ustreznost iskanih oziroma ponujenih izdelkov ali storitev.

