

(https://www.fasteners.eu/)

ISO 7380 TX - Pan head screws with TORX



1 di 4 25/07/2019, 15:10




Strumenti per misuraz

RS Components

Alta qualitá e imperdibili offerte sui nostri strumenti di misura. Ordina ora da RS!

VISITA IL SITO

SEND INQUIRY (HTTPS://WWW.FASTENERS.EU/INQUIRY/ADD/)



Legend:

d1 - the nominal diameter of the thread

k - head height

Makings:

Steel: 8.8,10.9,12.9 **Stainless:** A2, A4

2 di 4 25/07/2019, 15:10

d2 - head diameter

t - groove depth

L - length of bolt

A - groove

Plastic: -

Non Ferrous: -

Thread: 6g, 5g6g for strength 12.9

Notes:

dodělaz Torx

Table according to ISO 7380-1:

dimensions

thread d	М3	M4	M5	M6	M8	M10	M12
dc min.	5,74	8,24	10,4	12,2	16,4	20,22	24,32
k max.	1,65	2,2	2,75	3,3	4,4	5,5	6,6
S	2	2,5	3	4	5	6	8

Note: All the information provided on this website is provided on an "as is" and "as commonly used in probasis and you agree that you use such information entirely at your own risk. This website gives no warrant accepts no responsibility or liability for the accuracy or the completeness of the information and materials in this website. Under no circumstances will the website be held responsible or liable in any way for any cl damages, losses, expenses, costs or liabilities whatsoever (including, without limitation, any direct or indir damages for loss of profits, business interruption or loss of information) resulting or arising directly or inc from your use of or inability to use this website.

EU Fasteners Portal, s.r.o.

Novobranská 20 602 00 Brno Czech republic (+420) 608 889 223

IČ: 04264100

© 2014 Fasteners.eu, All rights reserved

(http://navrcholu.cz/Statistika/140913/)

3 di 4 25/07/2019, 15:10

By using this site you agree to the use of cookies for analytics, personalised content and ads. <u>Learn more (https://www.google.com/policies/technologies/cookies/)</u>

Got it

4 di 4