

| Number | Name | Description | Currency | Unit of Measure | Quantity |
|--------|---|--|-----------|-----------------|----------|
| 1 | HUB CLAMP: 4", CL 900 DDCA21, Alloy Steel | HUB CLAMP: 4", CL 900 DDCA21, Alloy Steel AISI 4140, suitable for -50°F, ASME SEC. VIII DIV. 1 APPX. 24 and MFR STD QA Codes: QA Code Description | US Dollar | Each | 81 |
| 2 | BOLTS & NUTS for HUB CLAMP: 4", CL 900 DDCA21 | BOLTS & NUTS for HUB CLAMP: 4", CL 900 DDCA21, Alloy Steel AISI 4140, suitable for -50°F, ASME SEC. VIII DIV. 1 APPX. 24 and MFR STD QA Codes: QA Code Description | US Dollar | Each | 324 |
| 3 | 3", HUB CLAMP C/W BOLTS & NUTS, ITCS, 900LBS, | 3", HUB CLAMP C/W BOLTS & NUTS, ITCS, 900LBS, ASME SEC. VIII DIV. 1 APPX 24 and MFR STD, ALLOY STEEL, AISI 4140, Suitable for -50 DEG F PER DDCA21 QA Codes: QA Code Description | US Dollar | Each | 153 |

| | | | | | |
|---|---|--|-----------|------|-----|
| 4 | BOLTS & NUTS for CLAMP CONNECTOR: 3" HUB | BOLTS & NUTS for CLAMP CONNECTOR: 3" HUB CLAMP, ITCS, 900LBS, ASME SEC. VIII DIV. 1 APPX 24 and MFR STD, ALLOY STEEL, AISI 4140, Suitable for -50 DEG F PER DDCA21QA Codes:QA Code Description | US Dollar | Each | 672 |
| 5 | 8", HUB CLAMP C/W BOLTS & NUTS, ITCS, 900LBS, | 8", HUB CLAMP C/W BOLTS & NUTS, ITCS, 900LBS, ASME SEC. VIII DIV. 1 APPX 24 and MFR STD, ALLOY STEEL, AISI 4140, Suitable for -50 DEG F PER DDCA21 QA Codes: QA Code Description | US Dollar | Each | 44 |
| 6 | BOLTS & NUTS for 8", HUB CLAMP, ITCS, 900LBS, | BOLTS & NUTS for 8", HUB CLAMP, ITCS, 900LBS, ASME SEC. VIII DIV. 1 APPX 24 and MFR STD, ALLOY STEEL, AISI 4140, Suitable for -50 DEG F PER DDCA21 QA Codes: QA Code Description | US Dollar | Each | 176 |

| | | | | | |
|---|---|---|-----------|------|----|
| 7 | 6", HUB CLAMP C/W BOLTS & NUTS, ITCS, 1500LBS | 6", HUB CLAMP C/W BOLTS & NUTS, ITCS, 1500LBS, ASME SEC. VIII DIV. 1 APPX 24 and MFR STD, Alloy Steel AISI 4140, suitable for -50 DEG F PER EECA21QA Codes:QA Code Description | US Dollar | Each | 5 |
| 8 | BOLTS & NUTS :6", HUB CLAMP, ITCS, 1500LBS, | BOLTS & NUTS :6", HUB CLAMP, ITCS, 1500LBS, ASME SEC. VIII DIV. 1 APPX 24 and MFR STD, Alloy Steel AISI 4140, suitable for -50 DEG F PER EECA21 QA Codes: QA Code Description | US Dollar | Each | 20 |
| 9 | 1", HUB CLAMP C/W BOLTS & NUTS, ITCS, 1500LBS | 1", HUB CLAMP C/W BOLTS & NUTS, ITCS, 1500LBS, ASME SEC. VIII DIV. 1 APPX 24 and MFR STD, Alloy Steel AISI 4140, suitable for -50 DEG F PER ASME B31.3 PER DDCA21 QA Codes: QA Code Description | US Dollar | Each | 5 |

| | | | | | |
|----|---|--|-----------|------|----|
| 10 | BOLTS & NUTS :1", HUB CLAMP, ITCS, 1500LBS, | BOLTS & NUTS :1", HUB CLAMP, ITCS, 1500LBS, ASME SEC. VIII DIV. 1 APPX 24 and MFR STD, Alloy Steel AISI 4140, suitable for -50 DEG F PER ASME B31.3 PER DDCA21QA Codes:QA Code Description | US Dollar | Each | 20 |
| 11 | 2" SEAL RING FOR HUB CONNECTOR,CL1500, ALLOY | 2" SEAL RING FOR HUB CONNECTOR,CL1500, ALLOY STEEL AISI 4140, PTFE COATED PER DDCA21 QA Codes: QA Code Description | US Dollar | Each | 12 |
| 12 | 2" SEAL RING FOR HUB CONNECTOR, CL1500, ALLOY | 2" SEAL RING FOR HUB CONNECTOR, CL1500, ALLOY STEEL AISI 4140, PTFE COATED PER EECA21 QA Codes: QA Code Description | US Dollar | Each | 36 |
| 13 | 3" SEAL RING FOR HUB CONNECTOR, CL1500, ALLOY | 3" SEAL RING FOR HUB CONNECTOR, CL1500, ALLOY STEEL AISI 4140, PTFE COATED PER EECA21QA Codes:QA Code Description | US Dollar | Each | 18 |

| | | | | | |
|----|---|---|-----------|------|----|
| 14 | 3" SEAL RING FOR HUB CONNECTOR, CL1500, ALLOY | 3" SEAL RING FOR HUB CONNECTOR, CL1500, ALLOY STEEL AISI 4140, PTFE COATED PER EECA21 QA Codes: QA Code Description | US Dollar | Each | 6 |
| 15 | 4" SEAL RING FOR HUB CONNECTOR, CL1500, ALLOY | 4" SEAL RING FOR HUB CONNECTOR, CL1500, ALLOY STEEL AISI 4140, PTFE COATED PER EECA21 QA Codes: QA Code Description | US Dollar | Each | 72 |
| 16 | 8" SEAL RING FOR HUB CONNECTORS,CL2500, ALLOY | 8" SEAL RING FOR HUB CONNECTORS,CL2500, ALLOY STEEL AISI 4140, PTFE COATED PER FCA21 QA Codes: QA Code Description | US Dollar | Each | 3 |
| 17 | 10" SEAL RING FOR CF CL2500, ALLOY STEEL AISI | 10" SEAL RING FOR CF CL2500, ALLOY STEEL AISI 4140, PTFE COATED PER FCA21QA Codes:QA Code Description | US Dollar | Each | 36 |

| | | | | | |
|----|---|---|-----------|------|----|
| 18 | 16" SEAL RING FOR TRANSITION COMPACT FLANGE | 16" SEAL RING FOR TRANSITION COMPACT FLANGE CL900, ALLOY STEEL AISI 4140, PTFE COATED PER D8CC5D/DDCA21 QA Codes: QA Code Description | US Dollar | Each | 6 |
| 19 | 2" CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS | 2" CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS, ALLOY STEEL AISI 4140,SITUABLE FOR -50oF PER ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER DDCA21 QA Codes: QA Code Description | US Dollar | Each | 5 |
| 20 | BOLTS & NUTS : CLAMP CONNECTOOR 2" CLAMP | BOLTS & NUTS : CLAMP CONNECTOOR 2" CLAMP CONNECTOR, CL1500,HUB, ALLOY STEEL AISI 4140,SITUABLE FOR -50oF PER ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER DDCA21QA Codes:QA Code Description | US Dollar | Each | 20 |

| | | | | | |
|----|---|---|-----------|------|----|
| 21 | 2 " CLAMP CONNECTOR,CL1500,HUB, C/W STUD | 2 " CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS, ALLOY STEEL AISI 4140,SUITABLE FOR -50oF ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER EECA21 QA Codes: QA Code Description | US Dollar | Each | 16 |
| 22 | BOLTS & NUTS : 2" CLAMP CONNECTOOR , CL1500, | BOLTS & NUTS : 2" CLAMP CONNECTOOR , CL1500,HUB, ALLOY STEEL AISI 4140,SUITABLE FOR -50oF ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER EECA21 QA Codes: QA Code Description | US Dollar | Each | 64 |
| 23 | 3" CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS | 3" CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS, ALLOY STEEL AISI 4140,SUITABLE FOR -50oF ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER EECA21QA Codes:QA Code Description | US Dollar | Each | 8 |

| | | | | | |
|----|---|---|-----------|------|----|
| 24 | BOLTS & NUTS : 3" CLAMP CONNECTOR,CL1500, HUB | <p>BOLTS & NUTS : 3" CLAMP CONNECTOR,CL1500, HUB, ALLOY STEEL AISI 4140,SUITABLE FOR -50oF ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER EECA21</p> <p>QA Codes: QA Code Description</p> | US Dollar | Each | 32 |
| 25 | 3" CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS | <p>3" CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS, ALLOY STEEL AISI 4140,SUITABLE FOR -50oF ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER EECA21</p> <p>QA Codes: QA Code Description</p> | US Dollar | Each | 3 |
| 26 | BOLTS & NUTS : FOR 3" CLAMP CONNECTOOR CL1500 | <p>BOLTS & NUTS : FOR 3" CLAMP CONNECTOOR CL1500,HUB, ALLOY STEEL AISI 4140,SUITABLE FOR -50oF ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER EECA21QA Codes:QA Code Description</p> | US Dollar | Each | 12 |

| | | | | | |
|----|---|---|-----------|------|-----|
| 27 | 4" CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS | 4" CLAMP CONNECTOR,CL1500,HUB, C/W STUD BOLTS, ALLOY STEEL AISI 4140,SUITABLE FOR -50oF ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER EECA21 QA Codes: QA Code Description | US Dollar | Each | 31 |
| 28 | BOLTS & NUTS :For 4" CLAMP CONNECTOR, CL1500 | BOLTS & NUTS :For 4" CLAMP CONNECTOR, CL1500,HUB , ALLOY STEEL AISI 4140,SUITABLE FOR -50oF ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER EECA21 QA Codes: QA Code Description | US Dollar | Each | 124 |
| 29 | 8" CLAMP CONNECTOR,CL2500,HUB, C/W STUD BOLTS | 8" CLAMP CONNECTOR,CL2500,HUB, C/W STUD BOLTS, ALLOY STEEL AISI 4140,SUITABLE FOR -500F PER ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER FCA21QA Codes:QA Code Description | US Dollar | Each | 3 |

| | | | | | |
|----|---|---|-----------|------|----|
| 30 | BOLTS & NUTS : FOR 8" CLAMP CONNECTOR CL2500, | BOLTS & NUTS : FOR 8" CLAMP CONNECTOR CL2500,HUB, ALLOY STEEL AISI 4140,SUITABLE FOR -500F PER ASME SEC VIII DIV. 1 APPX. 24 and MFR STD, PER FCA21 QA Codes: QA Code Description | US Dollar | Each | 12 |
|----|---|---|-----------|------|----|