











| Mobin | Category   | Standard Part No.       | Pic   | Qty.    |
|-------|------------|-------------------------|---|---------|
| 1     | SCREW      | DIN 912 - M5x16 - A2-70 |    | 10      |
| 2     | SCREW      | DIN 912 - M5x25 - 8.8   |   | 20      |
| 3     | SCREW      | DIN 912 - M5x30 - 8.8   |    | 10      |
| 4     | SCREW      | DIN 912 - M6x30 - 10.9  |    | #VALUE! |
| 5     | SCREW      | DIN 912 - M6x30 - 8.8   |   | 70      |
| 6     | SCREW      | DIN 912 - M6x30 - A2-70 |   | 20      |
| 7     | SCREW      | DIN 912 - M6x35 - A2-70 |  | 10      |
| 8     | SCREW      | DIN 912 - M6x75 - 8.8   |  | 40      |
| 9     | SCREW      | DIN 912 - M8x16 - 8.8   |   | 10      |
| 10    | HEX. SCREW | DIN 933 - M6x10 - 8.8   |  | 20      |

|    |            |   |   |
|----|------------|---|---|
| 11 | HEX. SCREW | DIN 933 - M6x16 - 8.8   | 20  |
| 12 | HEX. SCREW | DIN 933 - M6x5 - 8.8 - white chromate- zinc<br>ISO 4017 - M6x5 - 8.8 - white chromate- zinc | 20  |
| 13 | HEX. SCREW | DIN 933 - M8x25 - 8.8   | 20  |
| 14 | HEX. NUT   | Hexagon regular nut ISO 4032 - M6 - 10/8  | 40  |
|    |            |   |    |
| 15 | SCREW      | ISO 4762 - M5x16 - 8.8  | 40  |
| 16 | SCREW      | ISO 4762 - M5x25 - 8.8  | 70  |
| 17 | SCREW      | ISO 4762 - M6x16 - 8.8  | 20  |
| 18 | SCREW      | ISO 4762 - M6x20 - 8.8  | 100   |
|    |            |   |  |
| 19 | SCREW      | ISO 4762 - M6x25 - 8.8  | 50  |
|    |            |   |  |
| 20 | SCREW      | ISO 4762 - M6x25 - 8.8  | 40  |
| 21 | SCREW      | ISO 4762 - M6x35 - 8.8  | 20  |

|    |       |   |    |
|----|-------|---|----|
| 22 | SCREW | ISO 4762 - M6x45 - 8.8  | 80 |
| 23 | SCREW | ISO 4762 - M6x65 - 8.8  | 40 |
| 24 | SCREW | ISO 4762 - M6x90 - 8.8  | 20 |
| 25 | SCREW | ISO 4762 - M8x20 - 8.8  | 10 |
| 26 |       | NRB4X15,8-G3 (needle rollers)<br>DIN 5402-3/ ISO 3096, type B, end faces<br>flat, profiled ends | 30 |
| 27 |       | Screw plug DIN 908 - M10x1- St  | 10 |
| 28 | SCREW | hex collarr M8x80 - 10.9  | 10 |

