

ITEM	DESCRIPTION	UNITY	QUANTITY
1	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M3 X 25	each	50
2	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M4 X 40	each	50
3	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M5 X 40	each	50
4	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M6 X 50	each	50
5	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M8 X 30	each	50
6	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M8 X 40	each	50
7	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M10 X 40	each	50
8	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M10 X 50	each	50
9	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M3 X 50	each	50
10	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M4 X 50	each	50
11	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M5 X 50	each	50
12	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M5 X 60	each	50
13	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M6 X 60	each	50
14	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M6 X 80	each	50
15	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M8 X 60	each	50
16	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M8 X 100	each	50
17	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M10 X 60	each	50
18	Hexagon socket head cap screw with full thread Stainless steel A2 DIN 912, M10 X 100	each	50
19	WASHER PLATE INOX A2 - ISO 7089 Nominal d 4 mm	each	500
20	WASHER PLATE INOX A2 - ISO 7089 Nominal d 6 mm	each	500

21	WASHER PLATE INOX A2 - ISO 7089 Nominal d 8 mm	each	500
22	WASHER PLATE INOX A2 - ISO 7089 Nominal d 10 mm	each	500
23	WASHER PLATE INOX A2 - ISO 7089 Nominal d 12 mm	each	600
24	WASHER PLATE INOX A2 - ISO 7089 Nominal d 16 mm	each	400
25	Conical washer M16 Square shape DIN 434, Material: Stainless steel A2	each	100
26	WASHER PLATE INOX A2 - ISO 7089 Nominal d 18 mm	each	400
27	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M4 X 20	each	500
28	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M4 X 40	each	500
29	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M4 X 60	each	500
30	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M5 X 25	each	500
31	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M5 X 40	each	500
32	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M6 X 25	each	500
33	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M6 X 40	each	500
34	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M6 X 60	each	500
35	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M8 X 40	each	500
36	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M8 X 60	each	500
37	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M10 X 25	each	500
38	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M10 X 40	each	500
39	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M10 X 50	each	500
40	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M10 X 60	each	500
41	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M12 X 40	each	100
42	Hexagonal head screw full thread with nut, stainless steel A2 DIN 933, M12 X 50	each	1000
43	Hexagon head screw with nut, stainless steel A2 DIN931, M12 X 60	each	600
44	Hexagon head screw with nut, stainless steel A2 DIN931, M16 X 40	each	100
45	Hexagon head screw with nut, stainless steel A2 DIN931, M16 X 50	each	100

46	Hexagon head screw with nut, stainless steel A2 DIN931, M16 X 60	each	100
47	Hexagon head screw with nut, stainless steel A2 DIN931, M16 X 65	each	100
48	Hexagon head screw with nut, stainless steel A2 DIN931, M20 X 50	each	100
49	Hexagon head screw with nut, stainless steel A2 DIN931, M20 X 60	each	100
50	Hexagon head screw with nut, stainless steel A2 DIN931, M20 X 70	each	100

V@Á æ ~ æc |^|cÁ • o& |cæ æ æ& |ãã * Á Á P Á E G E Á E Á ~ • cÁ ^ Á ~]] |ã á Á ã cÁ
 c@Á æ |ã

ITEM	DESCRIPTION	UNITY	QUANTITY
1	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 nuts A193 B8M/A194 Grade 8M, UNC 1/2" X 70mm	each	200
2	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 nuts A193 B8M/A194 Grade 8M, UNC 5/8" X 85mm	each	200
3	Threaded stud to ASME B18.31.1M for ASME B16.5 Flange, with 2 nuts A193 B8/A194 Grade 8, M12 X 260mm	each	50
4	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts A193 B7/A194 Grade-2H , UNC 1/2" X 70mm	each	200
5	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts A193 B7/A194 Grade-2H , UNC 1/2" X 85mm	each	500
6	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts A193 B7/A194 Grade-2H , UNC 1/2" X 100mm	each	500
7	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 5/8" X 85mm	each	500
8	Threaded stud to ASME 18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H, UNC 5/8" X 110mm	each	500
9	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H, UNC 5/8" X 120mm	each	500
10	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 3/4" X 90mm	each	500
11	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 3/4" X 110mm	each	500
12	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 3/4" X 115mm	each	500
13	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 3/4" X 125mm	each	500

14	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 3/4" X 140mm	each	500
15	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 3/4" X 155mm	each	500
16	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 7/8" X 145mm	each	200
17	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 7/8" X 160mm	each	200
18	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 7/8" X 185mm	each	200
19	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 1" X 140mm	each	100
20	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 1 1/8" X 180mm	each	100
21	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B7/A194 Grade-2H , UNC 1 1/8" X 220mm	each	100
22	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B16/A194 Grade-4, UNC 5/8" X 110mm	each	100
23	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B16/A194 Grade-4, UNC 3/4" X 90mm	each	100
24	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B16/A194 Grade-4, UNC 3/4" X 120mm	each	100
25	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 heavy hex nuts, A193 B16/A194 Grade-4, UNC 3/4" X 125mm	each	100
26	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 nuts A193 B7 GALV. /A194 Grade-2H , UNC 1/2" X 70mm	each	100
27	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 nuts A193 B7 GALV. /A194 Grade-2H , UNC 1/2" X 100mm	each	100
28	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 nuts A193 B7 GALV. /A194 Grade-2H , UNC 5/8" X 85mm	each	100
29	Threaded stud to ASME B18.31.2 for ASME B16.5 Flange, with 2 nuts A193 B7 GALV. /A194 Grade-2H , UNC 5/8" X 120mm	each	100
30	Flat washer Form-A, M10, Material: Steel Finish: BZP bright galvanized	each	200
31	Flat washer Form-A, M16, Material: Steel Finish: Bright Galvanized BZP	each	200
32	Spring washers - Single coil M16, Material: Steel Finish: Bright Galvanized BZP	each	200

V@Á a ~ æc |^|CÁ • & |ãææ Á&& |ãã * Á |ÓPÁÆGE ÁEÁ ~ • Á^Á ~]||ã áÁ ã@Á
 { æ^|æ

ITEM	DESCRIPTION	UNITY	QUANTITY
1	Bolt conforming to ISO 4017 with two spring washers and nut, M12 X 1.75 P X 40mm long. Material: ASTM A182 UNS S31050 25Cr-22Ni-2Mo (1.4466)	each	600
2	Bolt conforming to ISO 4017 with two spring washers and nut, M12 X 1.75 P X 45mm long. Material: ASTM A182 UNS S31050 25Cr-22Ni-2Mo (1.4466)	each	50
3	Bolt conforming to ISO 4017 with two spring washers and nut, M16 X 2.0 P X 45mm long. Material: ASTM A182 UNS S31050 25Cr-22Ni-2Mo (1.4466)	each	300
4	Bolt conforming to ISO 4017 with two spring washers and nut, M16 X 2.0 P X 50mm long. Material: ASTM A182 UNS S31050 25Cr-22Ni-2Mo (1.4466)	each	60
5	Bolt conforming to ISO 4017 with two spring washers and nut, M16 X 2.0 P X 60mm long. Material: ASTM A182 UNS S31050 25Cr-22Ni-2Mo (1.4466)	each	25
6	Bolt conforming to ISO 4017 with two spring washers Form-A and nut, M16 X 2.0 P X 70mm long. Material: ASTM A182 UNS S31050 25Cr-22Ni-2Mo (1.4466)	each	25