

BOLTS DESCRIPTION	Nut/washer	BOLTS STANDARD	SITE/WORKSHOP	QUANTITY	Qty +5%
10x28	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	11	12
10x28	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
10x28	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
10x28	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	5	5
10x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
10x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	3	3
10x40	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
10x40	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
12x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
12x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	16	17
12x40	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	72	76
16x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x40	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	214	225
16x40	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	36	38
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	70	74
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	8	8
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	14	15
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	41	43
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	16	17
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	82	86
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	70	74
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	108	113
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	24	25
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	10	11
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	5	5
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	3	3
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	9	9
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	49	51
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	8	8
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	41	43
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	32	34
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	26	27
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	116	122
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	10	11
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	20	21
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	21	22
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	32	34
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	98	103
16x55	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	90	95
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	26	27
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	26	27
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	16	17
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	10	11
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	68	71
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	28	29
16x100	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	8	8
16x100	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x100	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
22x85	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
10x29	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
10x29	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
10x30	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
10x30	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	26	27

12x30	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
12x40	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	23	24
12x40	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
12x40	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	176	185
12x40	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
12x40	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	540	567
12x40	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	320	336
12x40	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	30	32
12x40	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
12x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	16	17
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	16	17
12x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
12x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
12x100	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x40	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x40	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	58	61
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
16x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	7	7
16x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	30	32
16x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	34	36
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	1	1
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	64	67
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	38	40
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	38	40
16x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	29	30
16x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	20	21
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	2	2
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	2	2
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	2	2
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	17	18
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	41	43
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	29	30
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	1	1
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	64	67
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	256	269
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	40	42
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	32	34
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	126	132
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	126	132
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	35	37
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	48	50
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	8	8
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	18	19
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	9	9
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	15	16
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	488	512

16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	400	420
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
16x55	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	30	32
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	56	59
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	50	53
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	8	8
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	16	17
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	118	124
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	60	63
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	40	42
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	43	45
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	46	48
16x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
16x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	2	2
16x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	2	2
16x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	1464	1537
16x60	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	28	29
16x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
16x65	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	130	137
16x65	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
16x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	288	302
16x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	1050	1103
16x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	128	134
16x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	150	158
16x70	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x70	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	59	62
16x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	20	21
16x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	108	113
16x80	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x80	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	13	14
16x80	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
16x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
16x100	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x100	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	5	5
16x100	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	10	11
20x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	104	109
20x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	52	55
20x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	104	109
20x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	52	55
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	70	74
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	42	44
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	74	78
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	42	44
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	124	130
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	64	67
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	30	32
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	56	59
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	158	166
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	33	35
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	27	28
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	30	32
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	60	63
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	30	32
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	68	71
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	2	2
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	2	2
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	1	1

20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	76	80
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	1	1
20x75	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
20x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	104	109
20x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76
20x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	20	21
20x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	18	19
20x100	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
20x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
20x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
20x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	64	67
22x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
22x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
22x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
22x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
22x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	40	42
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	60	63
22x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
22x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
22x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
22x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
22x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
22x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	54	57
22x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	18	19
22x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
22x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
22x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
22x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	64	67
22x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
22x115	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
22x115	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
22x115	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
27x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
27x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
27x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
27x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
27x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
27x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
27x105	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
27x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
27x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	204	214
27x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76
27x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
27x115	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
27x115	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	156	164
36x125	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	80	84
39x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
39x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
39x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
39x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
39x120	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
39x120	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
10x28	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
10x28	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
10x28	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
10x28	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
10x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
10x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
10x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	7	7
10x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
10x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1

12x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	196	206
12x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	436	458
12x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	60	63
12x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	96	101
12x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	44	46
12x35	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	28	29
12x40	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	8	8
12x40	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	308	323
16x40	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	96	101
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	39	41
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	141	148
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	22	23
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	54	57
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	32	34
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	314	330
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	10	11
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	10	11
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	32	34
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	84	88
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	60	63
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	44	46
16x45	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	15	16
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	35	37
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	153	161
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	134	141
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	46	48
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	24	25
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x50	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	62	65
16x55	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x57	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
16x65	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x100	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	6	6
16x100	BOLTS_1NUTS_1WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
20x75	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
27x85	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
27x90	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
36x85	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
42x140	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
12x35	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	156	164
12x35	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	3	3
12x40	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	15	16
12x40	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
12x40	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
12x40	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	177	186
12x40	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	99	104
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	16	17
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	192	202
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	92	97
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
12x45	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	13	14
12x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	4	4
12x100	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x40	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	220	231
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	80	84

16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	288	302
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	144	151
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	40	42
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	320	336
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	192	202
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	40	42
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	508	533
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	24	25
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	96	101
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	40	42
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	8	8
16x50	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	96	101
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	448	470
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	192	202
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	268	281
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	20	21
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	576	605
16x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	1344	1411
16x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	3	3
16x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	858	901
16x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	3	3
16x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	576	605
16x70	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	59	62
16x70	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
16x70	BOLTS_1NUTS_2WASHERS	A-193-GrB8	Site	16	17
16x75	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	72	76
16x75	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	212	223
16x80	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	1	1
16x80	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	7	7
16x85	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	18	19
16x90	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	2	2
20x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	10	11
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	432	454
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	136	143
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	432	454
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	88	92
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	45	47
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	762	800
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	56	59
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	14	15
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	56	59
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	52	55
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
20x55	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	432	454
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	58	61
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	14	15
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	98	103
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	79	83
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	3	3
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	480	504

20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	44	46
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	42	44
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
20x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	18	19
20x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	112	118
20x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
20x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
20x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
20x105	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
22x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	600	630
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	30	32
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
22x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
22x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
22x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	138	145
22x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	90	95
22x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
22x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
22x101	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	84	88
22x110	BOLTS_1NUTS_2WASHERS	ISO 4017 GR 4.8 /5.8-	Site	12	13
22x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	396	416
22x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
22x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
22x115	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
22x115	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	60	63
22x120	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
24x85	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
24x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
24x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
27x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
27x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	18	19
27x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	102	107
27x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
27x95	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	168	176
27x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
27x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	128	134
27x100	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	128	134
27x105	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
27x105	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	192	202
27x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	18	19
27x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
27x110	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	264	277
39x140	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	64	67
42x160	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	112	118
20x45	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76
20x45	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	22	23
20x50	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x50	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	12	13
20x55	BOLTS_1NUTS_1WASHERS	EN-14399-4-HV-10.9-10.9	Site	6	6
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	78	82
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	10	11
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76
16x45	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
16x50	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8





20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	3	3
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
20x60	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	42	44
20x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	4	4
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	36	38
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	256	269
20x75	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	32	34
24x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	48	50
24x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
24x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	8	8
24x65	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	40	42
24x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	24	25
24x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	96	101
24x70	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	84	88
24x80	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	16	17
24x90	BOLTS_1NUTS_2WASHERS	EN-14399-4-HV-10.9-10.9	Site	72	76