

No.	Product	Type 1 (degree, pressure)	Type 2 (type)	Type 3 (radius, facing)	Steel/Alloy	Standard 1	Standard 2	Grade	OD 1 (mm)	Length (in m)	Qty (pcs)
236.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	12,00 mm	60mm	27 pcs
237.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	12,00 mm	70mm	5 pcs
238.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	16,00 mm	45mm	18 pcs
239.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	16,00 mm	50mm	9 pcs
240.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	16,00 mm	70mm	132 pcs
241.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	16,00 mm	80mm	313 pcs
242.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	16,00 mm	120mm	9 pcs
243.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	16,00 mm	130mm	18 pcs
244.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	16,00 mm	150mm	9 pcs
245.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	20,00 mm	45mm	53 pcs
246.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	20,00 mm	50mm	18 pcs
247.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	20,00 mm	60mm	88 pcs
248.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	20,00 mm	80mm	150 pcs
249.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	20,00 mm	90mm	264 pcs
250.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	20,00 mm	100mm	93 pcs
251.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	20,00 mm	180mm	18 pcs
252.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	24,00 mm	80mm	88 pcs
253.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	24,00 mm	100mm	176 pcs
254.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	24,00 mm	110mm	18 pcs
255.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	24,00 mm	130mm	88 pcs
256.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	27,00 mm	80mm	27 pcs
257.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	27,00 mm	110mm	124 pcs
258.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	27,00 mm	120mm	291 pcs
259.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	27,00 mm	130mm	66 pcs
260.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	27,00 mm	140mm	198 pcs
261.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	27,00 mm	150mm	647 pcs
262.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	27,00 mm	170mm	62 pcs
263.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	27,00 mm	180mm	93 pcs
264.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	30,00 mm	130mm	27 pcs
265.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	30,00 mm	180mm	36 pcs
266.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	30,00 mm	160mm	71 pcs
267.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	30,00 mm	170mm	71 pcs
268.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	30,00 mm	220mm	106 pcs
269.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	36,00 mm	100mm	106 pcs
270.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	36,00 mm	160mm	36 pcs
271.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	39,00 mm	110mm	88 pcs
272.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	39,00 mm	180mm	22 pcs
273.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	39,00 mm	240mm	44 pcs
274.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	45,00 mm	200mm	53 pcs
275.)	bolts	Property Class 8.8	HDG		carbon	EN ISO 4014	EN ISO 898	M	52,00 mm	260mm	159 pcs
276.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	12,00 mm		27 pcs
277.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	12,00 mm		5 pcs
278.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	16,00 mm		18 pcs
279.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	16,00 mm		304 pcs
280.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	16,00 mm		9 pcs
281.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	16,00 mm		9 pcs
282.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	16,00 mm		18 pcs
283.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	16,00 mm		9 pcs
284.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	20,00 mm		62 pcs
285.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	20,00 mm		212 pcs
286.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	20,00 mm		93 pcs
287.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	20,00 mm		18 pcs
288.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	24,00 mm		88 pcs
289.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	24,00 mm		176 pcs
290.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	24,00 mm		18 pcs
291.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	24,00 mm		88 pcs
292.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	27,00 mm		124 pcs
293.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	27,00 mm		132 pcs
294.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	27,00 mm		66 pcs
295.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	27,00 mm		62 pcs
296.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	27,00 mm		542 pcs
297.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	27,00 mm		62 pcs
298.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	30,00 mm		27 pcs
299.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	30,00 mm		36 pcs
300.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	33,00 mm		71 pcs
301.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	30,00 mm		71 pcs
302.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	30,00 mm		106 pcs
303.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	36,00 mm		36 pcs
304.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	39,00 mm		22 pcs
305.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	39,00 mm		44 pcs
306.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	45,00 mm		53 pcs
307.)	nuts	Property Class 8	HDG		carbon	EN ISO 4032		M	52,00 mm		159 pcs
308.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		12,00 mm	60mm	53 pcs
309.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		12,00 mm	70mm	9 pcs
310.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		16,00 mm	45mm	36 pcs
311.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		16,00 mm	50mm	18 pcs
312.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		16,00 mm	70mm	264 pcs
313.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		16,00 mm	80mm	608 pcs
314.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		16,00 mm	80mm	18 pcs
315.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		16,00 mm	120mm	18 pcs
316.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		16,00 mm	130mm	36 pcs
317.)	washers	Property Class 8.8 / 8	HDG	200 HV acc. To EN ISO 7089	carbon	EN ISO 7089	EN ISO 4302		16,00 mm	150mm	18 pcs



404.) washers	Property Class A4-70	200 HV acc. To EN ISO 7089	stainless	EN ISO 7089	EN 3506-1	1.4404	24,00 mm	100mm	212 pcs
405.) washers	Property Class A4-70	200 HV acc. To EN ISO 7089	stainless	EN ISO 7089	EN 3506-1	1.4404	27,00 mm	120mm	634 pcs
406.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	21,30 mm		7 pcs
407.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	33,70 mm		2 pcs
408.) flat gaskets	PN 16	IBC		EN 1514-1		EPDM	60,30 mm		17 pcs
409.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	114,30 mm		60 pcs
410.) flat gaskets	PN 16	IBC		EN 1514-1		EPDM	114,30 mm		9 pcs
411.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	139,70 mm		5 pcs
412.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	168,30 mm		33 pcs
413.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	219,10 mm		14 pcs
414.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	273,00 mm		13 pcs
415.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	323,90 mm		7 pcs
416.) flat gaskets	PN 6	IBC		EN 1514-1		EPDM	406,40 mm		5 pcs
417.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	508,00 mm		18 pcs
418.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	609,60 mm		9 pcs
419.) flat gaskets	PN 10	IBC		EN 1514-1		EPDM	711,00 mm		7 pcs
420.) flat gaskets	PN 6	IBC		EN 1514-1		EPDM	914,00 mm		18 pcs
421.) flat gaskets	PN 6	IBC		EN 1514-1		EPDM	813,00 mm		14 pcs
422.) flat gaskets	PN 6	IBC		EN 1514-1		EPDM	1.016,00 mm		29 pcs
423.) flat gaskets	PN 6	IBC		EN 1514-1		EPDM	1.321,00 mm		6 pcs
424.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	33,70 mm		3 pcs
425.) flat gaskets	PN 40	IBC		EN 1514-1		C.F / NBR	33,70 mm		40 pcs
426.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	60,30 mm		24 pcs
427.) flat gaskets	PN 40	IBC		EN 1514-1		C.F / NBR	60,30 mm		48 pcs
428.) flat gaskets	PN 10	IBC		EN 1514-1		C.F / NBR	76,10 mm		7 pcs
429.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	76,10 mm		4 pcs
430.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	88,90 mm		9 pcs
431.) flat gaskets	PN 40	IBC		EN 1514-1		C.F / NBR	88,90 mm		3 pcs
432.) flat gaskets	PN 10	IBC		EN 1514-1		C.F / NBR	114,30 mm		6 pcs
433.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	114,30 mm		20 pcs
434.) flat gaskets	PN 40	IBC		EN 1514-1		C.F / NBR	114,30 mm		5 pcs
435.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	139,70 mm		7 pcs
436.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	168,30 mm		17 pcs
437.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	219,10 mm		19 pcs
438.) flat gaskets	PN 10	IBC		EN 1514-1		C.F / NBR	273,00 mm		2 pcs
439.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	273,00 mm		14 pcs
440.) flat gaskets	PN 16	IBC		EN 1514-1		C.F / NBR	323,90 mm		7 pcs
441.) flat gaskets	PN 10	IBC		EN 1514-1		C.F / NBR	355,60 mm		7 pcs
442.) flat gaskets	PN 10	IBC		EN 1514-1		C.F / NBR	406,40 mm		3 pcs
443.) flat gaskets	PN 10	IBC		EN 1514-1		C.F / NBR	508,00 mm		2 pcs
444.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	33,70 mm		46 pcs
445.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	60,30 mm		28 pcs
446.) spiral wound gasket	PN 16	C/I	stainless	EN 1514-1		316L / F.G	88,90 mm		1 pcs
447.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	88,90 mm		4 pcs
448.) spiral wound gasket	PN 16	C/I	stainless	EN 1514-1		316L / F.G	114,30 mm		1 pcs
449.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	114,30 mm		7 pcs
450.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	168,30 mm		12 pcs
451.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	219,10 mm		6 pcs
452.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	273,00 mm		2 pcs
453.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	355,60 mm		4 pcs
454.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	406,40 mm		11 pcs
455.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	508,00 mm		9 pcs
456.) spiral wound gasket	PN 40	C/I	stainless	EN 1514-1		316L / F.G	813,00 mm		8 pcs